

Compatibility List of Pylontech ESS and Inverters

Ver.2.22 Last Update: 07/05/2023

Inverter Brand	Inverter Type	Battery	Communication	Application	Key Features		Firmware Ver	Installation	
					Activation	Force Charge			
Ingenium Power Technology	ISS 1Play 3TL / 4TL	Powercube X1 N2H1 H2 Powercube X1.3/2H1 H2 V2 Force H1 H2 Force H1 H2 V2	CAN	On/off grid	Yes	Yes	ABH1002AA ABH1003_C(0dsg)	Wall mounting	
	ISS 1Play 3TL M / 4TL M		CAN	On/off grid	Yes	Yes	ABH1001_A ABH1003_C(0dsg)	Wall mounting	
Sola	RH1 1P-HVIES-SG series(1)		CAN	On/off grid	Yes	Yes	V08.1 4005(2)	Wall mounting	
	RH1 3P-HVIES-SG series(2)		CAN	On/off grid	Yes	Yes	V08.1 4005(2)	Wall mounting	
SMA Solar Technology AG	SE-EN1P3.8-11.4kW-14-US		CAN	On/off grid	Yes	Yes	04.04.03.R	Wall mounting	
	SBS 3.7-10 - SBS6.0-1P**		RS485	On/off grid	Yes	Yes	02.08.xxxxx	Wall mounting	
KOSTAL Industrie Elektrik GmbH	PLENTICORE plus***		Powercube H1 H2 Powercube H1 H2 V2 Powercube M1 M2 M3	CAN	On/off grid	Yes	Yes	02.08.xxxxx	Wall mounting
	PLENTICORE plus 62cm**			CAN	On/off grid	Yes	Yes	SAPPHIRE-H_V1.1_V01.A	Wall mounting
PLENTICORE B 62cm**	CAN			On/off grid	Yes	Yes	V1.0	Wall mounting	
PLENTICORE B 8x26 G2**	CAN			On/off grid	Yes	Yes	V14	Wall mounting	
Sungrow	SH6.0K-0.8-0.10-0RT			CAN	On/off grid	Yes	Yes	V3.00	Wall mounting
Delco s.r.l.	DLX HV series			CAN	On/off grid	Yes	Yes	V3.00	Wall mounting
Gooden	EH1ET/BT/SH series			CAN	On/off grid	Yes	Yes	V3.00	Wall mounting
EATON	vStorage Home 3P Series			CAN	On/off grid	Yes	Yes	V3.00	Wall mounting
SolarMax	ES-T Series			CAN	On/off grid	Yes	Yes	V3.00	Wall mounting
Deye(Sunynk)	SUN 5-20K-SG01HP3-ELP*			CAN	On/off grid	Yes	Yes	2001.X018	Wall mounting
	SUN 20-30K-SG01HP3-ELP*			CAN	On/off grid	Yes	Yes		
	SUN 20-9-50K-SG01HP3-ELP*			CAN	On/off grid	Yes	Yes		
Lux Power	Hybrid HB series			CAN	On/off grid	Yes	Yes		Wall mounting
Redback	RB-HV5(1/1000/1)			Modbus RTU	On/off grid	Yes	Yes	V2.6(1) V3.0(2)	Cabinet
Redback	RB-HV5(1/1000/1)			Modbus RTU	On/off grid	Yes	Yes	V2.6(1) V3.0(2)	Cabinet
Solar	HYD 1000/1600/2000/TL-3PH			CAN	On/off grid	Yes	Yes	FW: 00110036 DSP: V010027	Wall mounting
Sunways	STR-4-12KTL-H1 series			CAN	On/off grid	Yes	Yes	ARM_V0054	Wall mounting
	STR-3-8KTL-HS series			CAN	On/off grid	Yes	Yes	ARM_V0054	Wall mounting
eCACTUS	WH-3P-3.0kW(1)	Powercube H1 H2 Powercube H1 H2 V2 Powercube M1 M2 M3		Modbus RTU	On/off grid	Yes	Yes	2126-00AR(1) 2126-005R(1) 511-00007-03(2)	Wall mounting
	WH-SPA-5.0kW(1)			CAN	On/off grid	Yes	Yes	V010000	Wall mounting
Senergy	SE-3K-6KHB HV			CAN	On/off grid	Yes	Yes	V010000	Wall mounting
	SE-3K-30KHB G3			CAN	On/off grid	Yes	Yes	V1.08_45_04_00	Wall mounting
Sakou S.A.	EOX2 3001 6002 HXS series			CAN	On/off grid	Yes	Yes	V1.08_45_04_00	Wall mounting
	EOX2 4002 12002 HXS series			CAN	On/off grid	Yes	Yes	V1.08_45_04_00	Wall mounting
HYPONTECH	HHS series(1)		CAN	On/off grid	Yes	Yes	Ver.23(1) Ver.26(2)	Wall mounting	
	HBS series(1)		CAN	On/off grid	Yes	Yes	Ver.23(1) Ver.26(2)	Wall mounting	
	HFT series(2)		CAN	On/off grid	Yes	Yes	Ver.23(1) Ver.26(2)	Wall mounting	
	HBT series(2)		CAN	On/off grid	Yes	Yes	Ver.23(1) Ver.26(2)	Wall mounting	
ASWEI	ASW06H08H10H12H14H15H17(1)		CAN	On/off grid	Yes	Yes	DSP1.04.00(1) ARMV10.60005-02(1) V610-05001-03(2)	Wall mounting	
	ASW05M408H08H10H12H14H15H17H20H21H22(2)		CAN	On/off grid	Yes	Yes	DSP1.04.00(1) ARMV10.60005-02(1) V610-05001-03(2)	Wall mounting	
	ASW06H10H14H17H20H21H22(2)		CAN	On/off grid	Yes	Yes	DSP1.04.00(1) ARMV10.60005-02(1) V610-05001-03(2)	Wall mounting	
SOLNTEG	MHT 4-20K Series		CAN	On/off grid	Yes	Yes	ARM_V01(08)	Wall mounting	
	MHS 3-8K Series		CAN	On/off grid	Yes	Yes	ARM_V01(08)	Wall mounting	
	MRT 2-20K Series		CAN	On/off grid	Yes	Yes	ARM_V01(08)	Wall mounting	
	MRT 2-50K Series		CAN	On/off grid	Yes	Yes	ARM_V01(08)	Wall mounting	
	MRS 3-8K Series		CAN	On/off grid	Yes	Yes	ARM_V01(08)	Wall mounting	
ETEK	ETH-3-8KTL-HS Series		CAN	On/off grid	Yes	Yes	ARM_V01(08)	Wall mounting	
	ETH-4-20KTL-H1 Series		CAN	On/off grid	Yes	Yes	ARM_V1.02.13 DSP.V1.05.14	Wall mounting	
	ETH-3-8KTL-H1 Series		CAN	On/off grid	Yes	Yes	ARM_V1.01.41 DSP.V1.05.20	Wall mounting	
MEGAREVO	RE-15KH3 Series		CAN	On/off grid	Yes	Yes	Power: V0054.07 Safety: V00.04.06 System: V00.02.18	Wall mounting	
	RE-12KH1NA Series		CAN	On/off grid	Yes	Yes	Power: V0054.07 Safety: V00.04.06 System: V00.02.18	Wall mounting	
Hyntiles	HYT HV Series		CAN	On/off grid	Yes	Yes	Power: V0054.07 Safety: V00.04.06 System: V00.02.18	Wall mounting	
	HAT HV Series	CAN	On/off grid	Yes	Yes	Power: V0054.07 Safety: V00.04.06 System: V00.02.18	Wall mounting		
KOYOE	KY-EST06KH-KY-EST20KH	CAN	On/off grid	Yes	Yes	320701	Wall mounting		
Dream Maker	PCS 3-4-20KW-25400V(1)	CAN	On/off grid	Yes	Yes	ARM_V01(08)	Wall mounting		
	PCS 3-4-20KW-25400V(2)	CAN	On/off grid	Yes	Yes	ARM_V01(08)	Wall mounting		
	PCS 25-25-25kW-100A	CAN	On/off grid	Yes	Yes	ARM_V01(08)	Wall mounting		
SAJ	H2-3K-6K-20K	CAN	On/off grid	Yes	Yes	V1.018	Wall mounting		
	H2-5K-10K	CAN	On/off grid	Yes	Yes	V1.018	Wall mounting		
LEDIT	FVDx series	CAN	On/off grid	Yes	Yes	V3.00	Wall mounting		
Sunshine	SMH4-0K20K/30K-TL-TH	CAN	On-grid	Yes	Yes	V1.10	Wall mounting		
Inpco Energy	5.2 174.65H1	CAN	On/off grid	Yes	Yes	V1.10	Wall mounting		
Gowex	SPH10000TL3	CAN	On/off grid	Yes	Yes	V410	Wall mounting		
Tsun	TSOL-SPA-3.0-6.0K-H	CAN	On/off grid	Yes	Yes	DSP.V1.5; ARM.V1.14	Wall mounting		
GMD	TBS20TD	CAN	On-grid	Yes	Yes	1.0.3	Wall mounting		
Winnor	Infinisolar TX PA 30K	Modbus RTU	On/off grid	Yes	Yes	2008.27.12	Cabinet		
Blue Mountain Energy	BME-20	Modbus RTU	On/off grid	Yes	Yes	21.07.27 DSP:V1.01.2212	Cabinet		
	BME-30	Modbus RTU	On/off grid	Yes	Yes	21.07.27 DSP:V1.01.2212	Cabinet		
SOLNTEG	MHT 20-50K Series	CAN	On/off grid	Yes	Yes	ARM_V01(08)	Wall mounting		
	MRT 20-50K Series	CAN	On/off grid	Yes	Yes	ARM_V01(08)	Wall mounting		
ATESS	MPS0030-0500 Series	CAN	On/off grid	Yes	Yes	HPS30K_130K_HV3_SV5V.1.3	Cabinet		
MEGAREVO	MEGA0030-0500T5 Series	CAN	On/off grid	Yes	Yes	V3028400014	Cabinet		
	MEGA0030-0500S3 Series	CAN	On/off grid	Yes	Yes	V1028500014	Cabinet		
Growcol	GW-MPS0030-0500 Series	CAN	On/off grid	Yes	Yes	V3028400014	Cabinet		
Elcacc	Battery Inverter								
Faircamp	EnergyHub								
Sungrow	SC series		Customized with additional EMS	On/off grid			Cabinet		
Sinexcel	PWS/PWS series								
Kuba	BCS series								

*When compatible with Deye hybrid inverter mentioned in the list above, make sure the Battery Controller firmware is as below or higher:
 (1) Force H1 H2 V1.7; (2) Force H1 H2 V2 V1.1 (3) Powercube X1 H2 V2; (7) Powercube X1 H2 V1.2.
 **Only Force H1-V2 and Force H2-V2 is compatible with SMA Sunny Boy Storage inverters mentioned in the list above.
 ***Only Force H1-V2 and Force H2-V2 is compatible with Kostal PLENTICORE series inverter mentioned in the list above.

Note: Compatible tests with different brands of inverter are continuously, updates of this list will be periodically.
 For any query, please contact: service@pylontech.com.cn

Compatibility List of Pylontech ESS and Inverters

Ver.2.22 Last Update: 07/05/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
Victron Energy	Multiplus 48V (via Venus OS)	CAN	On/off-grid*	Yes	Yes	422/V2.15	Wall mounting
	Quattro 48V (via Venus OS)	CAN	On/off-grid*	Yes	Yes	422/V2.15	Wall mounting
SMA Solar Technology AG	SI 4.4-M	CAN	On/off-grid****	No	Yes		Wall mounting
	SI 6.0-H						
	SI 8.0-H						
	SI 6048US						
Schneider-Electric	Conext XW Pro series	CAN	On/off-grid	Yes	Yes	Gateway: V1.06 XW+ Pro: V1.04 (UL) / V1.05 (IEC)	Wall mounting
Goodwe	GW-BP	CAN	On-grid	Yes	Yes		Wall mounting
	SBP GW-ES	CAN	On-grid	Yes	Yes		Wall mounting
	EM	CAN	On-grid	Yes	Yes		Wall mounting
Imeon Energy	IMEON 3.6	CAN	On/off-grid	Yes	Yes	V1.7.6.5	Wall mounting
	IMEON 9.12	CAN	On/off-grid	Yes	Yes	V1.7.6.5	Wall mounting
Studer Innotec	Xtender 48V serie	CAN	On/off-grid	Yes	Yes	R652	Wall mounting
	VarioString serie	CAN	On/off-grid	Yes	Yes	R652	Wall mounting
	VarioTrack 48V serie	CAN	On/off-grid	Yes	Yes	R652	Wall mounting
Selectronic	SPMC 480	CAN	On/off-grid	No	Yes		Wall mounting
	SPMC 481	CAN	On/off-grid	No	Yes		Wall mounting
	SPMC 482	CAN	On/off-grid	No	Yes		Wall mounting
Voltronic	Infinisolar series 48V	RS485(9600)	On/off-grid	Yes	Yes	V1.00	Wall mounting
	Expert series 48V**	RS485(9600)	On/off-grid	Yes	Yes	V2.61	Wall mounting
Sofar	ME3000SP	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting
	HYD series	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting

Compatibility List of Pylontech ESS and Inverters

Ver.2.22 Last Update: 07/05/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
Sermatec	SMT-5K-TL-LV	RS485(9600)/CAN	On/off-grid	Yes	Yes		Wall mounting
Zucchetti Centro Sistemi	Azzurro 3000SP	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting
	Azzurro HYD3000/6000-ES	RS485(115200)/CAN	On-grid	Yes	Yes	V1.2	Wall mounting
Solis	RHI series	CAN	On/off-grid	PV only	Yes	90009	Wall mounting
	RAI series	CAN	On/off-grid	PV only	Yes	90009	Wall mounting
Redback	SH5000	RS485(115200)	On-grid	PV only	No		Cabinet
Deye(Sunsynk)	SUN-SG01LP1 series	CAN	On/off-grid	Yes	Yes	V1586	Wall mounting
	SUN-SG03LP1 series	CAN	On/off-grid	Yes	Yes	V1586	Wall mounting
Alpha & Outback Energy	SPCIII-5000-48	RS485(9600)	Off-grid	Yes	Yes	91.24	Wall mounting
	SPCIII-7200-48					45.06	
	SPCIIIS-5000-48					71.1	
Lux Power	LXP 3-6K Hybrid	CAN	On/off-grid	Yes	Yes	AA1.0	Wall mounting
	ACS series					AA1.0	
	SNA series					AA1.0	
	LXP-LB-EU Series					EA1.0 (for 8K/10K model) fA1.0 (for 12K model)	
	LXP-LB-US Series						
Sungrow	SH5K	CAN	On-grid	Yes	Yes	V13	Wall mounting
Morningstar	TriStar MPPT in 48V	N/A	On/off-grid	PV only	No	v32b	Wall mounting
	TriStar MPPT 600V in 48V	N/A	On/off-grid	PV only	No	v32b	Wall mounting
	TriStar PWM TS-45 in 48V	N/A	On/off-grid	PV only	No	v32b	Wall mounting
	GS-MPPT-60M/80M/100M-200V*****	CAN	On/off-grid	PV only	No	v2.0	Wall mounting
Delios s.r.l.	DLS_C series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
	DLS_AC series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
Ingeteam Power Technology	ISS-1Play/TL M series	CAN	On/off-grid	Yes	Yes	ABH1007_D	Wall mounting
MLT	Oasis 448	N/A	Off-grid	No	Yes	V2.19	Wall mounting
	Oasis 648	N/A	Off-grid	No	Yes	V2.19	Wall mounting
Steca	Solarix PLI 5000-48	N/A	Off-grid	Manual	No		Wall mounting
SAJ	Sunfree series	RS485(9600)	On/off-grid	Yes	Yes	V2.031/V1.037	Wall mounting
	H1 series	CAN	On/off-grid	Yes	Yes	V2.094/V1.318	Wall mounting

Compatibility List of Pylontech ESS and Inverters

Ver.2.22 Last Update: 07/05/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
SolarMax	ES series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
	AC series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
Growatt	SPH3000 - 6000	CAN	On/off-grid	No	Yes	RA1.0	Wall mounting
	SPF2000 - 5000 HVM-48/LVM-48P***	RS485(9600)	On/off-grid	No	Yes	GW500.08/502.05/503.03/507.03	Wall mounting
	M2000H/3000H/5000H - 48***	RS485(9600)	On/off-grid	No	Yes	SK001.11/012.06/013.03/035.00	Wall mounting
Sol-Ark	Sol-Ark-5K/8K-48-ST, Sol-Ark-5K-120V, Sol-Ark-8K-120/230V, Sol-Ark-8K-230-1P, Sol-Ark-12K-P, Sol-Ark-12K-3P-380V, Limitless 15K-LV	CAN	On/off-grid	Yes	Yes	V1430	Wall mounting
AXIOMA energy	ISPWM 5000	N/A	On/off-grid	No	No		Wall mounting
	ISMPPT BF 3000 - 5000	N/A	On/off-grid	No	No		Wall mounting
	ISGRID (BF) 3000 - 5000	N/A	On/off-grid	No	No		Wall mounting
Phocos	Any-grid PSW-H-5KW-230/48V	RS485(9600)	On/off-grid	Yes	Yes	V1.00	Wall mounting
Western CO.	LEONARDO PRO 3000/48 Li (via Western LK3)	CAN	On/off-grid	Yes	Yes	V1.1	Wall mounting
EFFEKTA	AX-M1 4000/5000-48 (via Com Box)	RS485(9600)	On/off-grid	Yes	Yes	54.40/74.40	Wall mounting
	AX-K1 4000/5000-48 (via Com Box)	RS485(9600)	On/off-grid	Yes	Yes	14.40/34.40	Wall mounting
	AX-M2 4000/5000-48	RS485(9600)	On/off-grid	Yes	Yes	51.00/72.01	Wall mounting
Kehua	SPH5000-BL	CAN	On-grid	Yes	Yes	V1.00.013	Wall mounting
INVT	BP series	CAN	On/off-grid	Yes	Yes	V1.06	Wall mounting
TBB	Kinergie Pro Series: CK-112.0S-3.0S	CAN	On/off-grid	No	Yes	DSP: V1.03C LCD: V1.01B	Wall mounting
	Kinergie Pro Series: CK4.0S-8.0S	CAN	On/off-grid	No	Yes	DSP: V1.23A LCD: V1.21A	Wall mounting
EPEVER	UP3000-HM5041(RTU)	RS485(115200)	On/off-grid	Yes	Yes	SV1.73	Wall mounting
	UP3000-HM8041(RTU)					SV1.82	
	UP3000-HM5042(RTU)					SV1.83	
	UP5000-HM8042(RTU)					SV1.84	
MUST	PV1800 VHM 3KW - 5.5KW	CAN	On/off-grid	No	Yes	1.17.06	Wall mounting
Moixa	Smart Battery V4 3000	CAN	On-grid	Yes	Yes	V2.2.1	Wall mounting
	GridShare Hub	CAN	On-grid	Yes	Yes	V2.2.1	Wall mounting

Compatibility List of Pylontech ESS and Inverters

Ver.2.22 Last Update: 07/05/2023

48V Energy Storage Solution (US2000 / US2000V2 / US3000 / US2000C / US3000C / US5000 / US5000-B / UP5000 / Phantom-S / Force-L1/L2 / Pelio-L)

Inverter Brand	Inverter Type	Communication	Application	Key Features		Firmware Ver	Installation
				Activation	Force Charge		
MEGAREVO	RKL1 Series	CAN	On/off-grid	Yes	Yes	ARM: 1.00.28 DSP: 1.01.23	Wall mounting
	RSK/6K/7K/8K/LNA	CAN	On/off-grid	Yes	Yes	ARM:1.03.12 DSP:1.04.11	Wall mounting
AISWEI	ASW3000/3680/4000/5000H-S	CAN	On/off-grid	Yes	Yes	master v610-02001-00	Wall mounting
	ASW3000/3680/4000/5000/6000H-S2					DSP:V610-02003-01 Safety:V610-10003-03	Wall mounting
SOROTEC	REVO II - 48V Series	CAN	On/off-grid	Yes	Yes	Inverter:1.5.4 Control board: 64	Wall mounting
	REVO E PLUS - 48V Series		Off-grid				
	REVO VM II - 48V Series						
	REVO VM PLUS - 48V Series						
FSP Power Solution GmbH	PowerManager series 4-15kW Offgrid PMI III / Zero	RS485(9600)	On/off-grid	Yes	Yes	V1.00 V2.61	Wall mounting
Senergy	SE 4K6/5K/6K/HB-60/120	RS485(9600)*****	On/off-grid	PV only	Yes	0.6.0	Wall mounting
	SE 4K6/5K/6KAC		No	Yes			
Livoltek	Hyper series	CAN	On/off-grid	Yes	Yes	1.78	Wall mounting
	Retro series		Off-grid				
	GF1-3K/5K/48S1			Yes	Yes	ARM V0.59 DSP V0.13	Wall mounting
	BV1-3K/5K/48S1						
Hoymiles	HYS-LV Series	CAN	On/off-grid	Yes	Yes	Power - V01.04.19 and above Safety - V01.02.13 and above System - V00.02.18 and above	Wall mounting
	HAS-LV Series						
EAST	EAH1-3000 ~ 6000-SL	RS485	On/off-grid	Yes	Yes	master V1001, dsp V1004	Wall mounting
LEDIT	FVDi series	CAN	On/off-grid	No	Yes	A 1.30; B 1.18; C1.27	Wall mounting
Growwoc	MKS IV 5.6KW -B MKS IV 6KW TWIN MAX II-8000	RS485(9600)	On/off-grid	Yes	Yes		Wall mounting
OPTI-Solar	SP5000 Brilliant series	RS485(9600)	On/off-grid	Yes	Yes	V1.00/00.32	Wall mounting
	SP5000 Regal/Handy Plus	RS485(9600)	On/off-grid	Yes	Yes	V1.00/00.32	Wall mounting
	SP4000/10000 Premium	RS485(9600)	On/off-grid	Yes	Yes	V1.00/00.32	Wall mounting
GMDE	SolDate 3700TL+BM024	RS485(9600)	On-grid	No	Yes	V2.0.1	Wall mounting

*When compatible with Victron Multi/Quattro in off-grid application via Venus-device, it is required to have a Victron MPPT or other compatible PV inverter with Victron to avoid the system getting shut down.
 **When compatible with Voltronic Axpert series, only VM III and King two types are available for RS485 communication, for the rest types of Axpert only available for manual settings. When using VM III and King, only launch firmware 02.61 or higher can work with Force L1/L2.
 ***When compatible with Growatt SPF/M series corresponding type, according to inverter logic, the depth of discharge(DoD) of battery shall be set to 80% or lower. Otherwise may lead to system shut down and need of manually recharge battery.
 ****When compatible with SMA SI 4-M / SI6.0-H / SI8.0-H, it's required to follow the min. configuration table from SMA for a guaranteed configuration. The Force L1/L2 is not compatible with SMA SI series.
 *****When compatible with Senergy inverter, max. configure 1 string of battery system, donot support multiple strings' connection.
 *****When compatible with GS-MPPT-60M/80M/100M-200V, it requires optional ReadyBMS accessory.

Note: Compatible tests with different brands of inverter are continuously, updates of this list will be periodically.
 For any query, please contact: service@pylontech.com.cn

