

CERTIFICATE

Issued to:

Applicant:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Licensee:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.


This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-001 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-001

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMSxxxM-60, JKMSxxxM-60(Plus), JKMSxxxM-60(Plus)-MX, JKMSxxxM-60(Plus)-MX-V, JKMSxxxM-60-J, JKMSxxxM-60-MX, JKMSxxxM-60-MX-MW, JKMSxxxM-60-MX3, JKMSxxxM-60B, JKMSxxxM-60B-MX, JKMSxxxM-60B-MX-V, JKMSxxxM-60B-MX3, JKMSxxxM-60B-TI, JKMSxxxM-60B-V-MX3, JKMSxxxM-60B-V-TI, JKMSxxxM-60BL-MX, JKMSxxxM-60BL-MX3, JKMSxxxM-60BL-TI, JKMSxxxM-60BL-V-MX3, JKMSxxxM-60BL-V-TI, JKMSxxxM-60H-MBB-TI, JKMSxxxM-60H-MBB-V-MX3, JKMSxxxM-60H-MBB-V-TI, JKMSxxxM-60H-MX3, JKMSxxxM-60H-TI, JKMSxxxM-60H-V-MX3, JKMSxxxM-60HB-MX3, JKMSxxxM-60HB-TI, JKMSxxxM-60HB-V-MX3, JKMSxxxM-60HBL-MX3, JKMSxxxM-60HBL-MX3-Q, JKMSxxxM-60HBL-TI, JKMSxxxM-60HBL-TI-Q, JKMSxxxM-60HBL-V-MX3, JKMSxxxM-60HL-MX3, JKMSxxxM-60HL-MX3-Q, JKMSxxxM-60HL-TI, JKMSxxxM-60HL-TI-Q, JKMSxxxM-60HL-V-MX3, JKMSxxxM-60HL-V-MX3-Q, JKMSxxxM-60HL-V-TI-Q, JKMSxxxM-60HLM-B-MX3, JKMSxxxM-60HLM-B-V-MX3, JKMSxxxM-60HLM-MX3, JKMSxxxM-60HLM-V-MX3, JKMSxxxM-60L-MX, JKMSxxxM-60L-MX3, JKMSxxxM-60L-TI, JKMSxxxM-60L-V-MX3 and JKMSxxxM-60L-V-TI |

Product data – type JKMSxxxM-60

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=270-340, with increments of 5W, 60 cells |

Product data – type JKMSxxxM-60(Plus)

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=210-350, with increments of 5W, 60 cells |

Product data – type JKMSxxxM-60(Plus)-MX

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=210-350, with increments of 5W, 60 cells |

Product data – type JKMSxxxM-60(Plus)-MX-V

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=210-350, with increments of 5W, 60 cells |

Product data – type JKMSxxxM-60B

| | |
|------------------------|----------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |

Description : xxx=210-350, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60BL-MX

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-350, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60BL-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60BL-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60BL-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60BL-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60B-MX

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-350, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60B-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60B-MX-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-350, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60B-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60B-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60B-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60HBL-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60HBL-MX3-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60HBL-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60HBL-TI-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60HBL-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxM-60HB-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-350, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60HB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60HB-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxM-60HLM-B-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=350-370, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60HLM-B-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=350-370, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxM-60HLM-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=350-385, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60HLM-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=350-385, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxM-60HL-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-350, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60HL-MX3-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60HL-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60HL-TI-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60HL-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxM-60HL-V-MX3-Q

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxM-60HL-V-TI-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-350, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxM-60H-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-355, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60H-MBB-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-355, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxM-60H-MBB-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-355, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxM-60H-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-350, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60H-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-60H-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxM-60-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60L-MX

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-350, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60L-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60L-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60L-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60L-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60-MX

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-350, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-60-MX-MW

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-350, with increments of 5W, 60 cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-001 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China


Jinko Solar (Feidong) Co., Ltd.
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy
Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing
Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.
Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for  **Jinko** *Solar*
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:

Applicant:

Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Licensee:

Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-002 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-002

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMSxxxM-60-MX-V, JKMSxxxM-60-TI, JKMSxxxM-60-V, JKMSxxxM-60-V-J, JKMSxxxM-60-V-MX3, JKMSxxxM-60-V-TI, JKMSxxxM-66H-MBB-MX3, JKMSxxxM-66H-MBB-V-MX3, JKMSxxxM-66H-TI, JKMSxxxM-66H-V-TI, JKMSxxxM-66HB-TI, JKMSxxxM-66HB-V-TI, JKMSxxxM-6RL3-B-TI, JKMSxxxM-6RL3-B-V-TI, JKMSxxxM-6RL3-TI, JKMSxxxM-6RL3-V-TI, JKMSxxxM-6TL3-B-TI, JKMSxxxM-6TL3-B-V-TI, JKMSxxxM-6TL3-TI, JKMSxxxM-6TL3-V-TI, JKMSxxxM-72, JKMSxxxM-72(Plus), JKMSxxxM-72(Plus)-MX, JKMSxxxM-72(Plus)-MX-V, JKMSxxxM-72B, JKMSxxxM-72B-MX, JKMSxxxM-72B-MX-V, JKMSxxxM-72B-MX3, JKMSxxxM-72B-TI, JKMSxxxM-72B-V-MX3, JKMSxxxM-72B-V-TI, JKMSxxxM-72BL-MX, JKMSxxxM-72BL-MX3, JKMSxxxM-72BL-TI, JKMSxxxM-72BL-V-MX3, JKMSxxxM-72BL-V-TI, JKMSxxxM-72HB-MX3, JKMSxxxM-72HB-TI, JKMSxxxM-72HB-V-MX3, JKMSxxxM-72HBL-MX3-Q, JKMSxxxM-72HBL-TI, JKMSxxxM-72HBL-TI-Q, JKMSxxxM-72HBL-V-MX3, JKMSxxxM-72HL-MX3, JKMSxxxM-72HL-MX3-Q, JKMSxxxM-72HL-TI, JKMSxxxM-72HLM-B-MX3, JKMSxxxM-72HLM-B-V-MX3, JKMSxxxM-72HLM-MX3 and JKMSxxxM-72HLM-V-MX3 |

Product data – type JKMSxxxM-60-MX-V

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=210-350, with increments of 5W, 60 cells |

Product data – type JKMSxxxM-60-TI

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=270-340, with increments of 5W, 60 cells |

Product data – type JKMSxxxM-60-V

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=210-350, with increments of 5W, 60 cells |

Product data – type JKMSxxxM-60-V-J

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=210-350, with increments of 5W, 60 cells |

Product data – type JKMSxxxM-60-V-MX3

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=270-340, with increments of 5W, 60 cells |

Product data – type JKMSxxxM-60-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMSxxxM-66HB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=340-365, with increments of 5W, 132 half-cut cells

Product data – type JKMSxxxM-66HB-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=340-365, with increments of 5W, 132 half cut cells

Product data – type JKMSxxxM-66H-MBB-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=370-390, with increments of 5W, 132 half-cut cells

Product data – type JKMSxxxM-66H-MBB-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-390, with increments of 5W, 132 half cut cells

Product data – type JKMSxxxM-66H-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=340-390, with increments of 5W, 132 half-cut cells

Product data – type JKMSxxxM-66H-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=340-390, with increments of 5W, 132 half cut cells

Product data – type JKMSxxxM-6RL3-B-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-405, with increments of 5W, 132 half-cut cells

Product data – type JKMSxxxM-6RL3-B-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-405, with increments of 5W, 132 half cut cells

Product data – type JKMSxxxM-6RL3-TI

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V
Description : xxx=360-415, with increments of 5W, 132 half-cut cells

Product data – type JKMSxxxM-6RL3-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-415, with increments of 5W, 132 half cut cells

Product data – type JKMSxxxM-6TL3-B-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-365, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-6TL3-B-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-365, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxM-6TL3-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-380, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxM-6TL3-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-380, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxM-72

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72(Plus)

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-420, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72(Plus)-MX

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-420,with increments of 5W, 72 cells

Product data – type JKMSxxxM-72(Plus)-MX-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-420, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-420, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72BL-MX

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-420,with increments of 5W, 72 cells

Product data – type JKMSxxxM-72BL-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-395, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72BL-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72BL-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-395, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72BL-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72B-MX

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-420,with increments of 5W, 72 cells

Product data – type JKMSxxxM-72B-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-395, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72B-MX-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-420, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72B-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72B-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-395, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72B-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72HBL-MX3-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72HBL-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72HBL-TI-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72HBL-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-395, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxM-72HB-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72HB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72HB-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-395, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxM-72HLM-B-MX3

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V
Description : xxx=415-445, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72HLM-B-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=415-445, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxM-72HLM-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=420-465, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72HLM-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=400-480, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxM-72HL-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72HL-MX3-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72HL-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-002 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaying City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China


Jinko Solar (Feidong) Co., Ltd.
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy
Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing
Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.
Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaying City Zhejiang, China

Trade name(s): Jinko stands for 
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:
Applicant:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Licensee:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.


This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-003 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-003

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMSxxxM-72-J, JKMSxxxM-72-MX, JKMSxxxM-72-MX-MW, JKMSxxxM-72-MX-V, JKMSxxxM-72-MX3, JKMSxxxM-72-TI, JKMSxxxM-72-V, JKMSxxxM-72-V-J, JKMSxxxM-72-V-MX3, JKMSxxxM-72-V-TI, JKMSxxxM-72H-MBB-MX3, JKMSxxxM-72H-MBB-TI, JKMSxxxM-72H-MBB-V-MX3, JKMSxxxM-72H-MBB-V-TI, JKMSxxxM-72H-MX3, JKMSxxxM-72H-TI, JKMSxxxM-72H-V-MX3, JKMSxxxM-72HL-TI-Q, JKMSxxxM-72HL-V-MX3, JKMSxxxM-72HL-V-MX3-Q, JKMSxxxM-72HL-V-TI-Q, JKMSxxxM-72L-MX, JKMSxxxM-72L-MX3, JKMSxxxM-72L-TI, JKMSxxxM-72L-V-MX3, JKMSxxxM-72L-V-TI, JKMSxxxM-78H-MBB-MX3, JKMSxxxM-78H-MBB-V-MX3, JKMSxxxM-78H-TI, JKMSxxxM-78H-V-TI, JKMSxxxM-78H-V-TI-Q, JKMSxxxM-78HB-TI, JKMSxxxM-78HB-V-TI, JKMSxxxM-7RL3-B-TI, JKMSxxxM-7RL3-B-V-TI, JKMSxxxM-7RL3-TI, JKMSxxxM-7RL3-V-TI, JKMSxxxN-60H-MBB-B-TI, JKMSxxxN-60H-MBB-B-V-TI, JKMSxxxN-60H-MBB-TI, JKMSxxxN-60H-MBB-V-TI, JKMSxxxN-6RL3-B-TI, JKMSxxxN-6RL3-B-V-TI, JKMSxxxN-6RL3-TI, JKMSxxxN-6RL3-V-TI, JKMSxxxN-6TL3-B-TI, JKMSxxxN-6TL3-B-V-TI, JKMSxxxN-6TL3-TI, JKMSxxxN-6TL3-V-TI and JKMSxxxN-72H-MBB-B-TI |

Product data – type JKMSxxxM-72HL-TI-Q

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=335-425, with increments of 5W, 144 half-cut cells |

Product data – type JKMSxxxM-72HL-V-MX3

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=335-395, with increments of 5W, 144 half cut cells |

Product data – type JKMSxxxM-72HL-V-MX3-Q

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=335-395, with increments of 5W, 144 half cut cells |

Product data – type JKMSxxxM-72HL-V-TI-Q

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=335-425, with increments of 5W, 144 half cut cells |

Product data – type JKMSxxxM-72H-MBB-MX3

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=385-425, with increments of 5W, 144 half-cut cells |

Product data – type JKMSxxxM-72H-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72H-MBB-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=385-425, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxM-72H-MBB-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=385-425, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxM-72H-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72H-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72H-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-395, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxM-72-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72L-MX

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-420,with increments of 5W, 72 cells

Product data – type JKMSxxxM-72L-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-395, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72L-TI

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72L-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-395, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72L-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72-MX

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-420,with increments of 5W, 72 cells

Product data – type JKMSxxxM-72-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-395, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72-MX-MW

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-420,with increments of 5W, 72 cells

Product data – type JKMSxxxM-72-MX-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-420, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-420, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72-V-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-420, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-395, with increments of 5W, 72 cells

Product data – type JKMSxxxM-72-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMSxxxM-78HB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=405-435, with increments of 5W, 156 half-cut cells

Product data – type JKMSxxxM-78HB-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=405-435, with increments of 5W, 156 half cut cells

Product data – type JKMSxxxM-78H-MBB-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=440-465, with increments of 5W, 156 half-cut cells

Product data – type JKMSxxxM-78H-MBB-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=440-465, with increments of 5W, 156 half cut cells

Product data – type JKMSxxxM-78H-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=405-465, with increments of 5W, 156 half-cut cells

Product data – type JKMSxxxM-78H-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=405-465, with increments of 5W, 156 half cut cells

Product data – type JKMSxxxM-78H-V-TI-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=405-465, with increments of 5W, 156 half cut cells

Product data – type JKMSxxxM-7RL3-B-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=425-480, with increments of 5W, 156 half-cut cells

Product data – type JKMSxxxM-7RL3-B-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-480, with increments of 5W, 156 half cut cells

Product data – type JKMSxxxM-7RL3-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=430-495, with increments of 5W, 156 half-cut cells

Product data – type JKMSxxxM-7RL3-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=430-495, with increments of 5W, 156 half cut cells

Product data – type JKMSxxxN-60H-MBB-B-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=315-330, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxN-60H-MBB-B-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=315-330, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxN-60H-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-350, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxN-60H-MBB-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-350, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxN-6RL3-B-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-425, with increments of 5W, 132 half-cut cells

Product data – type JKMSxxxN-6RL3-B-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-405, with increments of 5W, 132 half cut cells

Product data – type JKMSxxxN-6RL3-TI

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V
Description : xxx=360-420, with increments of 5W, 132 half-cut cells

Product data – type JKMSxxxN-6RL3-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-410, with increments of 5W, 132 half cut cells

Product data – type JKMSxxxN-6TL3-B-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-385, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxN-6TL3-B-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-365, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxN-6TL3-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-390, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxN-6TL3-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-390, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxN-72H-MBB-B-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=380-400, with increments of 5W, 144 half-cut cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-003 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaying City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China


Jinko Solar (Feidong) Co., Ltd.
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy
Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing
Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.
Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaying City Zhejiang, China

Trade name(s): Jinko stands for  **Jinko** *Solar*
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:

Applicant:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Licensee:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-004 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-004

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMSxxxN-72H-MBB-TI, JKMSxxxN-72H-MBB-V-TI, JKMSxxxN-7RL3-B-TI, JKMSxxxN-7RL3-B-V-TI, JKMSxxxN-7RL3-TI, JKMSxxxN-7RL3-V-TI, JKMSxxxP-60, JKMSxxxP-60(Plus), JKMSxxxP-60-J, JKMSxxxP-60-J4, JKMSxxxP-60-J4-J, JKMSxxxP-60-V, JKMSxxxP-60-V-J, JKMSxxxP-60B, JKMSxxxP-60B-J4, JKMSxxxP-60B-J4-J, JKMSxxxP-72, JKMSxxxP-72(Plus), JKMSxxxP-72-J, JKMSxxxP-72-J4, JKMSxxxP-72-J4-J, JKMSxxxP-72-V, JKMSxxxP-72B, JKMSxxxP-72B-J4, JKMSxxxPP-60, JKMSxxxPP-60(Plus), JKMSxxxPP-60(Plus)-J4, JKMSxxxPP-60(Plus)-MX, JKMSxxxPP-60(Plus)-MX-V, JKMSxxxPP-60B, JKMSxxxPP-60B-J4, JKMSxxxPP-60B-J4-J, JKMSxxxPP-60B-J4-MX, JKMSxxxPP-60B-J4-MX-V, JKMSxxxPP-60B-MX, JKMSxxxPP-60B-MX-V, JKMSxxxPP-60B-MX3, JKMSxxxPP-60B-V-MX3, JKMSxxxPP-60BL-MX3, JKMSxxxPP-60BL-V-MX3, JKMSxxxPP-60H-MX3, JKMSxxxPP-60H-V-MX3, JKMSxxxPP-60HB-MX3, JKMSxxxPP-60HB-V-MX3, JKMSxxxPP-60HBL-MX3, JKMSxxxPP-60HBL-V-MX3, JKMSxxxPP-60HL-MX3 and JKMSxxxPP-60HL-V-MX3 |

Product data – type JKMSxxxN-72H-MBB-TI

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=385-425, with increments of 5W, 144 half-cut cells |

Product data – type JKMSxxxN-72H-MBB-V-TI

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=385-425, with increments of 5W, 144 half cut cells |

Product data – type JKMSxxxN-7RL3-B-TI

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=425-480, with increments of 5W, 156 half-cut cells |

Product data – type JKMSxxxN-7RL3-B-V-TI

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=425-480, with increments of 5W, 156 half cut cells |

Product data – type JKMSxxxN-7RL3-TI

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=430-500, with increments of 5W, 156 half-cut cells |

Product data – type JKMSxxxN-7RL3-V-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=430-500, with increments of 5W, 156 half cut cells

Product data – type JKMSxxxP-60

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxP-60(Plus)

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxP-60B

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxP-60B-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxP-60B-J4-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxP-60-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxP-60-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxP-60-J4-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxP-60-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxP-60-V-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxP-72

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxP-72(Plus)

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxP-72B

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxP-72B-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxP-72B-J4-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxP-72-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxP-72-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxP-72-J4-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxP-72-V

Design : PV module with poly c-Si cells

Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxP-72-V-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-60

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60(Plus)

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60(Plus)-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60(Plus)-MX

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60(Plus)-MX-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60B

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60B-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60B-J4-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60B-J4-MX

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60B-J4-MX-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60BL-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60BL-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60B-MX

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60B-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60B-MX-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60B-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60HBL-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-315, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxPP-60HBL-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=260-315, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxPP-60HB-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-315, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxPP-60HB-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=260-315, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxPP-60HL-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-315, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxPP-60HL-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=260-315, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxPP-60H-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-315, with increments of 5W, 120 half cut cells

Product data – type JKMSxxxPP-60H-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=260-315, with increments of 5W, 120 half cut cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-004 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.

No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.

No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.


Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED

CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.

Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for  **Jinko** *Solar*
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:

Applicant:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Licensee:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.


This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-005 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-005

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMSxxxPP-60-J, JKMSxxxPP-60-J4, JKMSxxxPP-60-J4(Plus), JKMSxxxPP-60-J4-J, JKMSxxxPP-60-J4-MX, JKMSxxxPP-60-J4-MX-V, JKMSxxxPP-60-MX, JKMSxxxPP-60-MX-V, JKMSxxxPP-60-MX3, JKMSxxxPP-60-V, JKMSxxxPP-60-V-J, JKMSxxxPP-60-V-MX3, JKMSxxxPP-60-W, JKMSxxxPP-60-W-MX, JKMSxxxPP-60-W-MX-V, JKMSxxxPP-60L-MX3, JKMSxxxPP-60L-V-MX3, JKMSxxxPP-72, JKMSxxxPP-72(Plus), JKMSxxxPP-72(Plus)-J4, JKMSxxxPP-72(Plus)-MX, JKMSxxxPP-72(Plus)-MX-V, JKMSxxxPP-72-J, JKMSxxxPP-72-J4(Plus), JKMSxxxPP-72-J4-J, JKMSxxxPP-72-J4-MX, JKMSxxxPP-72-J4-MX-V, JKMSxxxPP-72-MX, JKMSxxxPP-72-MX-V, JKMSxxxPP-72-MX3, JKMSxxxPP-72B, JKMSxxxPP-72B-J4, JKMSxxxPP-72B-J4-J, JKMSxxxPP-72B-J4-MX, JKMSxxxPP-72B-J4-MX-V, JKMSxxxPP-72B-MX, JKMSxxxPP-72B-MX-V, JKMSxxxPP-72B-MX3, JKMSxxxPP-72B-V-MX3, JKMSxxxPP-72BL-MX3, JKMSxxxPP-72BL-V-MX3, JKMSxxxPP-72H-V-MX3, JKMSxxxPP-72HB-MX3, JKMSxxxPP-72HB-V-MX3, JKMSxxxPP-72HBL-MX3, JKMSxxxPP-72HBL-V-MX3, JKMSxxxPP-72HL-MX3, JKMSxxxPP-72HL-V-MX3, JKMSxxxPP-72L-MX3 and JKMSxxxPP-72L-V-MX3 |

Product data – type JKMSxxxPP-60-J

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=260-290, with increments of 5W, 60 cells |

Product data – type JKMSxxxPP-60-J4

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=210-325, with increments of 5W, 60 cells |

Product data – type JKMSxxxPP-60-J4(Plus)

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=210-325, with increments of 5W, 60 cells |

Product data – type JKMSxxxPP-60-J4-J

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=210-325, with increments of 5W, 60 cells |

Product data – type JKMSxxxPP-60-J4-MX

| | |
|------------------------|----------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |

Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60-J4-MX-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60L-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60L-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60-MX

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60-MX-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60-V-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60-W

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60-W-MX

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-60-W-MX-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMSxxxPP-72

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72(Plus)

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72(Plus)-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72(Plus)-MX

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72(Plus)-MX-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72B

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72B-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72B-J4-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72B-J4-MX

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72B-J4-MX-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72BL-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72BL-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72B-MX

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72B-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72B-MX-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72B-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72HBL-MX3

Design : PV module with poly c-Si cells

Maximum System voltage : 1000V
Description : xxx=330-380, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxPP-72HBL-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=330-380, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxPP-72HB-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=330-380, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxPP-72HB-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=330-380, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxPP-72HL-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=330-380, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxPP-72HL-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=330-380, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxPP-72H-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=330-380, with increments of 5W, 144 half cut cells

Product data – type JKMSxxxPP-72-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72-J4(Plus)

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72-J4-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72-J4-MX

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72-J4-MX-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72L-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72L-V-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72-MX

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72-MX3

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72-MX-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 72 cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-005 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China


Jinko Solar (Feidong) Co., Ltd.
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy
Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing
Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.
Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaying City Zhejiang, China

Trade name(s): Jinko stands for  **Jinko** *Solar*
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:

Applicant:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Licensee:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.


This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-006 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-006

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMSxxxM-72HL-V-MX3-Q, JKMSxxxPP-72-V, JKMSxxxPP-72-V-J, JKMSxxxPP-72-V-MX3, JKMSxxxPP-72-W, JKMSxxxPP-72-W-MX, JKMSxxxPP-72-W-MX-V, JKMxxxM-36H, JKMxxxM-54HL4, JKMxxxM-54HL4-B, JKMxxxM-54HL4-B-V, JKMxxxM-54HL4-TV, JKMxxxM-54HL4-V, JKMxxxM-5RL4, JKMxxxM-5RL4-B, JKMxxxM-5RL4-B-V, JKMxxxM-5RL4-TV, JKMxxxM-5RL4-V, JKMxxxM-60, JKMxxxM-60(Plus), JKMxxxM-60(Plus)-V, JKMxxxM-60B, JKMxxxM-60B-MW, JKMxxxM-60B-V, JKMxxxM-60BL, JKMxxxM-60BL-V, JKMxxxM-60H, JKMxxxM-60HB, JKMxxxM-60HB-V, JKMxxxM-60HBL, JKMxxxM-60HBL-Q, JKMxxxM-60HBL-V, JKMxxxM-60HL, JKMxxxM-60HL-Q, JKMxxxM-60HL-T, JKMxxxM-60HL-T-Q, JKMxxxM-60HL-TV, JKMxxxM-60HL-TV-Q, JKMxxxM-60HL-V, JKMxxxM-60HL-V-Q, JKMxxxM-60HL4, JKMxxxM-60HL4-B, JKMxxxM-60HL4-B-V, JKMxxxM-60HL4-TV, JKMxxxM-60HL4-V, JKMxxxM-60HLM, JKMxxxM-60HLM-B, JKMxxxM-60HLM-B-V, JKMxxxM-60HLM-TV and JKMxxxM-60HLM-V |

Product data – type JKMSxxxM-72HL-V-MX3-Q

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=335-395, with increments of 5W, 144 half cut cells |

Product data – type JKMSxxxPP-72-V

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=250-390, with increments of 5W, 72 cells |

Product data – type JKMSxxxPP-72-V-J

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=250-390, with increments of 5W, 72 cells |

Product data – type JKMSxxxPP-72-V-MX3

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=320-355, with increments of 5W, 72 cells |

Product data – type JKMSxxxPP-72-W

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=250-390, with increments of 5W, 72 cells |

Product data – type JKMSxxxPP-72-W-MX

| | |
|--------|----------------------------------|
| Design | : PV module with poly c-Si cells |
|--------|----------------------------------|

Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMSxxxPP-72-W-MX-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxM-36H

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=195-205, with increments of 5W, 72 half-cut cells

Product data – type JKMxxxM-54HL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-430, with increments of 5W, 108 half-cut cells

Product data – type JKMxxxM-54HL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=380-425, with increments of 5W, 108 half-cut cells

Product data – type JKMxxxM-54HL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=380-400, with increments of 5W, 108 half cut cells

Product data – type JKMxxxM-54HL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=345-410, with increments of 5W, 108 half cut cells

Product data – type JKMxxxM-54HL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=345-430, with increments of 5W, 108 half cut cells

Product data – type JKMxxxM-5RL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=375-435, with increments of 5W, 108 half-cut cells

Product data – type JKMxxxM-5RL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=375-430, with increments of 5W, 108 half-cut cells

Product data – type JKMxxxM-5RL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=375-395, with increments of 5W, 108 half cut cells

Product data – type JKMxxxM-5RL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=345-405, with increments of 5W, 108 half cut cells

Product data – type JKMxxxM-5RL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=345-435, with increments of 5W, 108 half cut cells

Product data – type JKMxxxM-60

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMxxxM-60(Plus)

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMxxxM-60(Plus)-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMxxxM-60B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMxxxM-60BL

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMxxxM-60BL-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMxxxM-60B-MW

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-350, with increments of 5W, 60 cells

Product data – type JKMxxxM-60B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMxxxM-60H

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-60HB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-60HBL

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-60HBL-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-375, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-60HBL-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-350, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-60HB-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-350, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-60HL

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-60HL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=400-485, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-60HL4-B

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V
Description : xxx=425-445, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-60HL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-445, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-60HL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=385-455, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-60HL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=385-485, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-60HLM

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=350-385, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-60HLM-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=350-370, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-60HLM-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=350-370, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-60HLM-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=355-380, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-60HLM-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-400, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-60HL-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-60HL-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=315-355, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-60HL-T-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=315-335, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-60HL-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=300-375, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-60HL-TV-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=315-355, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-60HL-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-350, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-60HL-V-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-375, with increments of 5W, 120 half cut cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-006 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.

No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.

No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.


Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED

CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.

Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for  *Jinko* Solar
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:
Applicant:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Licensee:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.


This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-007 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-007

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMxxxM-60-J, JKMxxxM-60-MW, JKMxxxM-60-V, JKMxxxM-60-V-J, JKMxxxM-60H-MBB, JKMxxxM-60H-MBB-T, JKMxxxM-60H-MBB-TV, JKMxxxM-60H-MBB-V, JKMxxxM-60H-T, JKMxxxM-60H-TV, JKMxxxM-60H-V, JKMxxxM-60L, JKMxxxM-60L-V, JKMxxxM-66H, JKMxxxM-66H-MBB, JKMxxxM-66H-MBB-V, JKMxxxM-66H-T, JKMxxxM-66H-TV, JKMxxxM-66H-TV-Q, JKMxxxM-66H-V, JKMxxxM-66H-V-Q, JKMxxxM-66HB, JKMxxxM-66HB-V, JKMxxxM-66HL4, JKMxxxM-66HL4-B, JKMxxxM-66HL4-B-V, JKMxxxM-66HL4-TV, JKMxxxM-66HL4-V, JKMxxxM-6RL3, JKMxxxM-6RL3-B, JKMxxxM-6RL3-B-V, JKMxxxM-6RL3-J, JKMxxxM-6RL3-T, JKMxxxM-6RL3-T-J, JKMxxxM-6RL3-TV, JKMxxxM-6RL3-TV-J, JKMxxxM-6RL3-V, JKMxxxM-6RL3-V-J, JKMxxxM-6RL4, JKMxxxM-6RL4-B, JKMxxxM-6RL4-B-V, JKMxxxM-6RL4-TV, JKMxxxM-6RL4-V, JKMxxxM-6TL3, JKMxxxM-6TL3-B, JKMxxxM-6TL3-B-V, JKMxxxM-6TL3-T, JKMxxxM-6TL3-TV, JKMxxxM-6TL3-V and JKMxxxM-6TL4 |

Product data – type JKMxxxM-60H-MBB

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=320-355, with increments of 5W, 120 half-cut cells |

Product data – type JKMxxxM-60H-MBB-T

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=320-335, with increments of 5W, 120 half-cut cells |

Product data – type JKMxxxM-60H-MBB-TV

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=320-360, with increments of 5W, 120 half cut cells |

Product data – type JKMxxxM-60H-MBB-V

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=320-365, with increments of 5W, 120 half cut cells |

Product data – type JKMxxxM-60H-T

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=315-355, with increments of 5W, 120 half-cut cells |

Product data – type JKMxxxM-60H-TV

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=300-375, with increments of 5W, 120 half cut cells |

Product data – type JKMxxxM-60H-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-350, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-60-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-350, with increments of 5W, 60 cells

Product data – type JKMxxxM-60L

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type JKMxxxM-60L-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-350, with increments of 5W, 60 cells

Product data – type JKMxxxM-60-MW

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-350, with increments of 5W, 60 cells

Product data – type JKMxxxM-60-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-350, with increments of 5W, 60 cells

Product data – type JKMxxxM-60-V-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-350, with increments of 5W, 60 cells

Product data – type JKMxxxM-66H

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=340-390, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxM-66HB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=340-365, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxM-66HB-V

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V
Description : xxx=340-365, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-66HL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=440-505, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxM-66HL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=465-490, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxM-66HL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=465-490, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-66HL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-505, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-66HL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-505, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-66H-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=370-390, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxM-66H-MBB-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-390, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-66H-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=340-385, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxM-66H-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=340-385, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-66H-TV-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=340-395, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-66H-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=340-390, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-66H-V-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=340-380, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-6RL3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-415, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxM-6RL3-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-405, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxM-6RL3-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-405, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-6RL3-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-415, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxM-6RL3-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=355-400, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxM-6RL3-T-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=355-400, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxM-6RL3-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=355-400, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-6RL3-TV-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=355-400, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-6RL3-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-415, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-6RL3-V-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-415, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-6RL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=455-495, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxM-6RL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=455-485, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxM-6RL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=455-485, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-6RL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-495, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-6RL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-495, with increments of 5W, 132 half cut cells

Product data – type JKMxxxM-6TL3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-380, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-6TL3-B

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V
Description : xxx=320-365, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-6TL3-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-365, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-6TL3-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=325-365, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxM-6TL3-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=325-365, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-6TL3-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-380, with increments of 5W, 120 half cut cells

Product data – type JKMxxxM-6TL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=415-450, with increments of 5W, 120 half-cut cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-007 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.

No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.

No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.


Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED

CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.

Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for  **Jinko** *Solar*
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:
Applicant:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Licensee:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-008 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-008

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMxxxM-6TL4-B, JKMxxxM-6TL4-B-V, JKMxxxM-6TL4-TV, JKMxxxM-6TL4-V, JKMxxxM-72, JKMxxxM-72(Plus), JKMxxxM-72(Plus)-V, JKMxxxM-72-J, JKMxxxM-72-MW, JKMxxxM-72B, JKMxxxM-72B-MW, JKMxxxM-72B-V, JKMxxxM-72BL, JKMxxxM-72BL-V, JKMxxxM-72H, JKMxxxM-72H-MBB, JKMxxxM-72H-MBB-T, JKMxxxM-72H-MBB-TV, JKMxxxM-72H-MBB-V, JKMxxxM-72H-T, JKMxxxM-72H-TV, JKMxxxM-72H-V, JKMxxxM-72HB, JKMxxxM-72HB-V, JKMxxxM-72HBL, JKMxxxM-72HBL-Q, JKMxxxM-72HBL-V, JKMxxxM-72HL, JKMxxxM-72HL-Q, JKMxxxM-72HL-T, JKMxxxM-72HL-T-Q, JKMxxxM-72HL-TV, JKMxxxM-72HL-TV-Q, JKMxxxM-72HL-V, JKMxxxM-72HL4, JKMxxxM-72HL4-B, JKMxxxM-72HL4-B-V, JKMxxxM-72HL4-J, JKMxxxM-72HL4-TV, JKMxxxM-72HL4-TV-J, JKMxxxM-72HL4-V, JKMxxxM-72HL4-V-J, JKMxxxM-72HLM, JKMxxxM-72HLM-B, JKMxxxM-72HLM-B-V, JKMxxxM-72HLM-TV, JKMxxxM-72HLM-V, JKMxxxM-72L and JKMxxxM-72L-V |

Product data – type JKMxxxM-6TL4-B

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=415-440, with increments of 5W, 120 half-cut cells |

Product data – type JKMxxxM-6TL4-B-V

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=415-440, with increments of 5W, 120 half cut cells |

Product data – type JKMxxxM-6TL4-TV

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=385-450, with increments of 5W, 120 half cut cells |

Product data – type JKMxxxM-6TL4-V

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=385-450, with increments of 5W, 120 half cut cells |

Product data – type JKMxxxM-72

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=335-410, with increments of 5W, 72 cells |

Product data – type JKMxxxM-72(Plus)

| | |
|--------|----------------------------------|
| Design | : PV module with mono c-Si cells |
|--------|----------------------------------|

Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMxxxM-72(Plus)-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMxxxM-72B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMxxxM-72BL

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMxxxM-72BL-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMxxxM-72B-MW

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-420, with increments of 5W, 72 cells

Product data – type JKMxxxM-72B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMxxxM-72H

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-425, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72HB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72HBL

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72HBL-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-450, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72HBL-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-450, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72HB-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-450, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72HL

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72HL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=475-585, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72HL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=515-535, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72HL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=510-535, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72HL4-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=475-585, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72HL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=460-580, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72HL4-TV-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=460-580, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72HL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=460-585, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72HL4-V-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=460-585, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72HLM

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=420-465, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72HLM-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=415-445, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72HLM-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=415-445, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72HLM-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-460, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72HLM-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=400-480, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72HL-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72HL-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=375-425, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72HL-T-Q

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V
Description : xxx=375-425, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72HL-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=375-455, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72HL-TV-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=375-425, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72HL-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-450, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72HL-V-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-450, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72H-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72H-MBB-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=385-405, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72H-MBB-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=385-435, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72H-MBB-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=385-425, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72H-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=375-425, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-72H-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=375-455, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72H-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-450, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-72-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-420, with increments of 5W, 72 cells

Product data – type JKMxxxM-72L

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type JKMxxxM-72L-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-420, with increments of 5W, 72 cells

Product data – type JKMxxxM-72-MW

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-420, with increments of 5W, 72 cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-008 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.

No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.

No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.


Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED

CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.

Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for  *Solar*
Jinko
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:

Applicant:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Licensee:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.


This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-009 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-009

SPECIFICATION OF THE CERTIFIED PRODUCT
Product data

| | |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMxxxM-72-V, JKMxxxM-72-V-J, JKMxxxM-78H, JKMxxxM-78H-MBB, JKMxxxM-78H-MBB-V, JKMxxxM-78H-T, JKMxxxM-78H-TV, JKMxxxM-78H-TV-Q, JKMxxxM-78H-V, JKMxxxM-78H-V-Q, JKMxxxM-78HB, JKMxxxM-78HB-V, JKMxxxM-78HL4-TV, JKMxxxM-78HL4-V, JKMxxxM-7RL3, JKMxxxM-7RL3-B, JKMxxxM-7RL3-B-V, JKMxxxM-7RL3-J, JKMxxxM-7RL3-T, JKMxxxM-7RL3-T-J, JKMxxxM-7RL3-TV, JKMxxxM-7RL3-TV-J, JKMxxxM-7RL3-V, JKMxxxM-7RL3-V-J, JKMxxxM-7RL4, JKMxxxM-7RL4-B, JKMxxxM-7RL4-B-V, JKMxxxM-7RL4-J, JKMxxxM-7RL4-TV, JKMxxxM-7RL4-TV-J, JKMxxxM-7RL4-V, JKMxxxM-7RL4-V-J, JKMxxxM-7TL4, JKMxxxM-7TL4-B, JKMxxxM-7TL4-B-V, JKMxxxM-7TL4-J, JKMxxxM-7TL4-TV, JKMxxxM-7TL4-TV-J, JKMxxxM-7TL4-V, JKMxxxM-7TL4-V-J, JKMxxxN-32H-MBB-B, JKMxxxN-32HL3-MBB-B, JKMxxxN-48H-MBB-B, JKMxxxN-48HL3-MBB-B, JKMxxxN-54HL4, JKMxxxN-54HL4-B, JKMxxxN-54HL4-B-V, JKMxxxN-54HL4-TV, JKMxxxN-54HL4-V and JKMxxxN-5RL4 |

Product data – type JKMxxxM-72-V

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=250-420, with increments of 5W, 72 cells |

Product data – type JKMxxxM-72-V-J

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=250-420, with increments of 5W, 72 cells |

Product data – type JKMxxxM-78H

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=405-465, with increments of 5W, 156 half-cut cells |

Product data – type JKMxxxM-78HB

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=405-435, with increments of 5W, 156 half-cut cells |

Product data – type JKMxxxM-78HB-V

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=405-435, with increments of 5W, 156 half cut cells |

Product data – type JKMxxxM-78HL4-TV

| | |
|------------------------|----------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |

Description : xxx=555-595, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-78HL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=565-605, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-78H-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=440-465, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxM-78H-MBB-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=440-465, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-78H-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=405-455, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxM-78H-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=405-455, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-78H-TV-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=405-470, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-78H-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=405-465, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-78H-V-Q

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=405-465, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-7RL3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=430-495, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxM-7RL3-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=425-480, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxM-7RL3-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-480, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-7RL3-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=430-495, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxM-7RL3-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=420-475, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxM-7RL3-T-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=420-475, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxM-7RL3-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=420-475, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-7RL3-TV-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=420-475, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-7RL3-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=430-495, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-7RL3-V-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=430-495, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-7RL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=535-590, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxM-7RL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=540-575, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxM-7RL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=540-575, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-7RL4-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=535-590, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxM-7RL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=490-590, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-7RL4-TV-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=490-590, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-7RL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=500-590, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-7RL4-V-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=500-590, with increments of 5W, 156 half cut cells

Product data – type JKMxxxM-7TL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=495-570, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-7TL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=495-530, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-7TL4-B-V

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V
Description : xxx=495-530, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-7TL4-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=495-570, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxM-7TL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=485-570, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-7TL4-TV-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=485-570, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-7TL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=495-570, with increments of 5W, 144 half cut cells

Product data – type JKMxxxM-7TL4-V-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=495-570, with increments of 5W, 144 half cut cells

Product data – type JKMxxxN-32HL3-MBB-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=180-195, with increments of 5W, 64 half-cut cells

Product data – type JKMxxxN-32H-MBB-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=170-175, with increments of 5W, 64 half-cut cells

Product data – type JKMxxxN-48HL3-MBB-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-295, with increments of 5W, 96 half-cut cells

Product data – type JKMxxxN-48H-MBB-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=255-265, with increments of 5W, 96 half-cut cells

Product data – type JKMxxxN-54HL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-455, with increments of 5W, 108 half-cut cells

Product data – type JKMxxxN-54HL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=380-450, with increments of 5W, 108 half-cut cells

Product data – type JKMxxxN-54HL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=380-400, with increments of 5W, 108 half cut cells

Product data – type JKMxxxN-54HL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-430, with increments of 5W, 108 half cut cells

Product data – type JKMxxxN-54HL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=365-455, with increments of 5W, 108 half cut cells

Product data – type JKMxxxN-5RL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=375-460, with increments of 5W, 108 half-cut cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-009 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.

No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.

No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.


Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED

CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.

Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for  **Jinko** *Solar*
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:
Applicant:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Licensee:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.


This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-010 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-010

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMxxxN-5RL4-B, JKMxxxN-5RL4-B-V, JKMxxxN-5RL4-TV, JKMxxxN-5RL4-V, JKMxxxN-60H-MBB, JKMxxxN-60H-MBB-B, JKMxxxN-60H-MBB-B-V, JKMxxxN-60H-MBB-T, JKMxxxN-60H-MBB-TV, JKMxxxN-60H-MBB-V, JKMxxxN-60H-T, JKMxxxN-60H-TV, JKMxxxN-60HL-T, JKMxxxN-60HL-TV, JKMxxxN-60HL3-MBB-B, JKMxxxN-60HL4, JKMxxxN-60HL4-B, JKMxxxN-60HL4-B-V, JKMxxxN-60HL4-TV, JKMxxxN-60HL4-V, JKMxxxN-66HL4, JKMxxxN-66HL4-B, JKMxxxN-66HL4-B-V, JKMxxxN-66HL4-TV, JKMxxxN-66HL4-V, JKMxxxN-66H -T, JKMxxxN-6RL3, JKMxxxN-6RL3-B, JKMxxxN-6RL3-B-V, JKMxxxN-6RL3-J, JKMxxxN-6RL3-T, JKMxxxN-6RL3-T-J, JKMxxxN-6RL3-TV, JKMxxxN-6RL3-TV-J, JKMxxxN-6RL3-V, JKMxxxN-6RL3-V-J, JKMxxxN-6RL4, JKMxxxN-6RL4-B, JKMxxxN-6RL4-B-V, JKMxxxN-6RL4-TV, JKMxxxN-6RL4-V, JKMxxxN-6TL3, JKMxxxN-6TL3-B, JKMxxxN-6TL3-B-V, JKMxxxN-6TL3-T, JKMxxxN-6TL3-TV, JKMxxxN-6TL3-V, JKMxxxN-6TL4, JKMxxxN-6TL4-B and JKMxxxN-6TL4-B-V |

Product data – type JKMxxxN-5RL4-B

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=375-455, with increments of 5W, 108 half-cut cells |

Product data – type JKMxxxN-5RL4-B-V

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=375-395, with increments of 5W, 108 half cut cells |

Product data – type JKMxxxN-5RL4-TV

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=350-415, with increments of 5W, 108 half cut cells |

Product data – type JKMxxxN-5RL4-V

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=375-460, with increments of 5W, 108 half cut cells |

Product data – type JKMxxxN-60HL3-MBB-B

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=330-370, with increments of 5W, 120 half-cut cells |

Product data – type JKMxxxN-60HL4

| | |
|------------------------|----------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |

Description : xxx=405-510, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-60HL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=425-470, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-60HL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-445, with increments of 5W, 120 half cut cells

Product data – type JKMxxxN-60HL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=400-480, with increments of 5W, 120 half cut cells

Product data – type JKMxxxN-60HL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=405-510, with increments of 5W, 120 half cut cells

Product data – type JKMxxxN-60HL-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=315-355, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-60HL-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=315-355, with increments of 5W, 120 half cut cells

Product data – type JKMxxxN-60H-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-350, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-60H-MBB-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=315-330, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-60H-MBB-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=315-330, with increments of 5W, 120 half cut cells

Product data – type JKMxxxN-60H-MBB-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=330-350, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-60H-MBB-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=330-370, with increments of 5W, 120 half cut cells

Product data – type JKMxxxN-60H-MBB-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-350, with increments of 5W, 120 half cut cells

Product data – type JKMxxxN-60H-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=315-355, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-60H-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=315-355, with increments of 5W, 120 half cut cells

Product data – type JKMxxxN-66H -T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=345-385, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxN-66HL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=445-525, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxN-66HL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=465-490, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxN-66HL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=465-490, with increments of 5W, 132 half cut cells

Product data – type JKMxxxN-66HL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=440-525, with increments of 5W, 132 half cut cells

Product data – type JKMxxxN-66HL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-525, with increments of 5W, 132 half cut cells

Product data – type JKMxxxN-6RL3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-420, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxN-6RL3-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-425, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxN-6RL3-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-405, with increments of 5W, 132 half cut cells

Product data – type JKMxxxN-6RL3-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-420, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxN-6RL3-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-395, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxN-6RL3-T-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-395, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxN-6RL3-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=355-420, with increments of 5W, 132 half cut cells

Product data – type JKMxxxN-6RL3-TV-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=355-420, with increments of 5W, 132 half cut cells

Product data – type JKMxxxN-6RL3-V

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V
Description : xxx=360-420, with increments of 5W, 132 half cut cells

Product data – type JKMxxxN-6RL3-V-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-420, with increments of 5W, 132 half cut cells

Product data – type JKMxxxN-6RL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=455-495, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxN-6RL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=455-485, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxN-6RL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=455-485, with increments of 5W, 132 half cut cells

Product data – type JKMxxxN-6RL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-510, with increments of 5W, 132 half cut cells

Product data – type JKMxxxN-6RL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-510, with increments of 5W, 132 half cut cells

Product data – type JKMxxxN-6TL3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-390, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-6TL3-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-385, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-6TL3-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-365, with increments of 5W, 120 half cut cells

Product data – type JKMxxxN-6TL3-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=325-365, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-6TL3-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=325-380, with increments of 5W, 120 half cut cells

Product data – type JKMxxxN-6TL3-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-390, with increments of 5W, 120 half cut cells

Product data – type JKMxxxN-6TL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=415-450, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-6TL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=415-440, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-6TL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=415-440, with increments of 5W, 120 half cut cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-010 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.

No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.

No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.


Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED

CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.

Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for  *Jinko* Solar
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:

Applicant:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Licensee:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.


This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-011 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-011

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : JKMxxxN-6TL4-TV, JKMxxxN-6TL4-V, JKMxxxN-72H-MBB, JKMxxxN-72H-MBB-B, JKMxxxN-72H-MBB-B-V, JKMxxxN-72H-MBB-T, JKMxxxN-72H-MBB-TV, JKMxxxN-72H-MBB-V, JKMxxxN-72H-T, JKMxxxN-72H-TV, JKMxxxN-72HL-T, JKMxxxN-72HL-TV, JKMxxxN-72HL3-MBB-B, JKMxxxN-72HL4, JKMxxxN-72HL4-B, JKMxxxN-72HL4-B-V, JKMxxxN-72HL4-TV, JKMxxxN-72HL4-V, JKMxxxN-78H-T, JKMxxxN-78H-TV, JKMxxxN-7RL3, JKMxxxN-7RL3-B, JKMxxxN-7RL3-B-V, JKMxxxN-7RL3-J, JKMxxxN-7RL3-T, JKMxxxN-7RL3-T-J, JKMxxxN-7RL3-TV, JKMxxxN-7RL3-TV-J, JKMxxxN-7RL3-V, JKMxxxN-7RL3-V-J, JKMxxxN-7RL4, JKMxxxN-7RL4-B, JKMxxxN-7RL4-B-V, JKMxxxN-7RL4-TV, JKMxxxN-7RL4-V, JKMxxxN-7TL4, JKMxxxN-7TL4-B, JKMxxxN-7TL4-B-V, JKMxxxN-7TL4-TV, JKMxxxN-7TL4-V, JKMxxxP-60, JKMxxxP-60(Plus), JKMxxxP-60-J, JKMxxxP-60-J4, JKMxxxP-60-J4-J, JKMxxxP-60-V, JKMxxxP-60-V-J, JKMxxxP-60B, JKMxxxP-60B-J4 and JKMxxxP-60L

Product data – type JKMxxxN-6TL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=385-465, with increments of 5W, 120 half cut cells

Product data – type JKMxxxN-6TL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=385-465, with increments of 5W, 120 half cut cells

Product data – type JKMxxxN-72HL3-MBB-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=400-445, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-72HL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=485-615, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-72HL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=510-535, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-72HL4-B-V

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V
Description : xxx=510-535, with increments of 5W, 144 half cut cells

Product data – type JKMxxxN-72HL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=485-605, with increments of 5W, 144 half cut cells

Product data – type JKMxxxN-72HL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=480-615, with increments of 5W, 144 half cut cells

Product data – type JKMxxxN-72HL-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=375-425, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-72HL-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=375-455, with increments of 5W, 144 half cut cells

Product data – type JKMxxxN-72H-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-72H-MBB-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=380-400, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-72H-MBB-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=380-400, with increments of 5W, 144 half cut cells

Product data – type JKMxxxN-72H-MBB-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=390-420, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-72H-MBB-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=390-445, with increments of 5W, 144 half cut cells

Product data – type JKMxxxN-72H-MBB-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=385-425, with increments of 5W, 144 half cut cells

Product data – type JKMxxxN-72H-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=375-425, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-72H-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=375-455, with increments of 5W, 144 half cut cells

Product data – type JKMxxxN-78H-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=410-460, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxN-78H-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=410-460, with increments of 5W, 156 half cut cells

Product data – type JKMxxxN-7RL3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=430-500, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxN-7RL3-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=425-480, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxN-7RL3-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-480, with increments of 5W, 156 half cut cells

Product data – type JKMxxxN-7RL3-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=430-490, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxN-7RL3-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=425-470, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxN-7RL3-T-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=425-470, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxN-7RL3-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-500, with increments of 5W, 156 half cut cells

Product data – type JKMxxxN-7RL3-TV-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-500, with increments of 5W, 156 half cut cells

Product data – type JKMxxxN-7RL3-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=430-500, with increments of 5W, 156 half cut cells

Product data – type JKMxxxN-7RL3-V-J

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=430-500, with increments of 5W, 156 half cut cells

Product data – type JKMxxxN-7RL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=535-590, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxN-7RL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=540-575, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxN-7RL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=540-575, with increments of 5W, 156 half cut cells

Product data – type JKMxxxN-7RL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=500-605, with increments of 5W, 156 half cut cells

Product data – type JKMxxxN-7RL4-V

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V
Description : xxx=500-605, with increments of 5W, 156 half cut cells

Product data – type JKMxxxN-7TL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=495-600, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-7TL4-B

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=495-530, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-7TL4-B-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=495-530, with increments of 5W, 144 half cut cells

Product data – type JKMxxxN-7TL4-TV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=480-590, with increments of 5W, 144 half cut cells

Product data – type JKMxxxN-7TL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=495-600, with increments of 5W, 144 half cut cells

Product data – type JKMxxxP-60

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxP-60(Plus)

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxP-60B

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxP-60B-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxP-60-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxP-60-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxP-60-J4-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxP-60L

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=215-275, with increments of 5W, 60 cells

Product data – type JKMxxxP-60-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxP-60-V-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-011 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.

No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.

No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.


Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED

CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.

Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for  *Jinko* Solar
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:
Applicant:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Licensee:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-012 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-012

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMxxxP-72, JKMxxxP-72(Plus), JKMxxxP-72-J, JKMxxxP-72-J4, JKMxxxP-72-J4-J, JKMxxxP-72-V, JKMxxxP-72-V-J, JKMxxxP-72B, JKMxxxP-72B-J4, JKMxxxP-72B-J4-J, JKMxxxP-72L, JKMxxxPP-60, JKMxxxPP-60(Plus), JKMxxxPP-60(Plus)-J4, JKMxxxPP-60(Plus)-V, JKMxxxPP-60-J, JKMxxxPP-60-J4(Plus), JKMxxxPP-60-J4-J, JKMxxxPP-60-J4V, JKMxxxPP-60-V, JKMxxxPP-60-V-J, JKMxxxPP-60-W, JKMxxxPP-60B, JKMxxxPP-60B-J4, JKMxxxPP-60B-J4-J, JKMxxxPP-60B-V, JKMxxxPP-60H, JKMxxxPP-60H-J4, JKMxxxPP-60H-J4V, JKMxxxPP-60H-V, JKMxxxPP-60HB, JKMxxxPP-60HB-V, JKMxxxPP-72, JKMxxxPP-72(Plus), JKMxxxPP-72(Plus)-J4, JKMxxxPP-72(Plus)-V, JKMxxxPP-72-J, JKMxxxPP-72-J4, JKMxxxPP-72-J4(Plus), JKMxxxPP-72-J4-J, JKMxxxPP-72B, JKMxxxPP-72B-J4, JKMxxxPP-72B-J4-J, JKMxxxPP-72B-V, JKMxxxPP-72H, JKMxxxPP-72H-J4, JKMxxxPP-72H-J4V, JKMxxxPP-72H-V, JKMxxxPP-72HB and JKMxxxPP-72HB-V |

Product data – type JKMxxxP-72

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=250-390, with increments of 5W, 72 cells |

Product data – type JKMxxxP-72(Plus)

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=250-390, with increments of 5W, 72 cells |

Product data – type JKMxxxP-72B

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=250-390, with increments of 5W, 72 cells |

Product data – type JKMxxxP-72B-J4

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=250-390, with increments of 5W, 72 cells |

Product data – type JKMxxxP-72B-J4-J

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=250-390, with increments of 5W, 72 cells |

Product data – type JKMxxxP-72-J

| | |
|------------------------|----------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |

Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxP-72-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxP-72-J4-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxP-72L

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=255-330, with increments of 5W, 72 cells

Product data – type JKMxxxP-72-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxP-72-V-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxPP-60

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60(Plus)

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60(Plus)-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60(Plus)-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60B

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60B-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60B-J4-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60B-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=260-290, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60H

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-315, with increments of 5W, 120 half cut cells

Product data – type JKMxxxPP-60HB

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=260-315, with increments of 5W, 120 half cut cells

Product data – type JKMxxxPP-60HB-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 120 half cut cells

Product data – type JKMxxxPP-60H-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 120 half cut cells

Product data – type JKMxxxPP-60H-J4V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 120 half cut cells

Product data – type JKMxxxPP-60H-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 120 half cut cells

Product data – type JKMxxxPP-60-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60-J4(Plus)

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60-J4-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60-J4V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60-V-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxPP-60-W

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=210-325, with increments of 5W, 60 cells

Product data – type JKMxxxPP-72

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72(Plus)

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72(Plus)-J4

Design : PV module with poly c-Si cells

Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72(Plus)-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72B

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72B-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72B-J4-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72B-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-355, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72H

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=330-380, with increments of 5W, 144 half cut cells

Product data – type JKMxxxPP-72HB

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=330-380, with increments of 5W, 144 half cut cells

Product data – type JKMxxxPP-72HB-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 144 half cut cells

Product data – type JKMxxxPP-72H-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 144 half cut cells

Product data – type JKMxxxPP-72H-J4V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 144 half cut cells

Product data – type JKMxxxPP-72H-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 144 half cut cells

Product data – type JKMxxxPP-72-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72-J4

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72-J4(Plus)

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72-J4-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=250-390, with increments of 5W, 72 cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-012 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.

No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.

No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.


Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED

CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.

Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for  **Jinko** *Solar*
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:

Applicant:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Licensee:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.


This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-013 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-013

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMSxxxM-72HBL-MX3, JKMSxxxPP-72-J4, JKMSxxxPP-72H-MX3, JKMxxxM-66H-TV, JKMxxxP-60B-J4-J, JKMxxxPP-60-J4, JKMxxxPP-72-J4V, JKMxxxPP-72-V, JKMxxxPP-72-V-J, JKMxxxPP-72-W, JKSM3-CACA-xxx, JKSM3-CCCA-xxx, JKSM3-CFCA-xxx, JKSM3-CHCA-xxx, JKSM3-DACA-xxx, JKSM3-DCCA-xxx, JKSM3-DFCA-xxx, JKSM3-DHCA-xxx, JKSN3-CCCA-xxx, JKSN3-CHCA-xxx, JKSN3-DCCA-xxx, JKSN3-DHCA-xxx, JKxxxM-66H5-BTV, JKxxxM-66H5-MW, JKxxxM-66H5-MWV, JKxxxM-66R5-BTV, JKxxxM-66R5-MW, JKxxxM-66R5-MWV, MMxxx-54HLD-MB, MMxxx-54HLD-MBV, MMxxx-54HLD-MBV, MMxxx-60HLA-AB, MMxxx-60HLA-ABV, MMxxx-60HLA-BB, MMxxx-60HLA-BBV, MMxxx-60HLA-BBV-MBB, MMxxx-60HLA-MB, MMxxx-60HLA-MB-MBB, MMxxx-60HLA-MBV, MMxxx-60HLA-MBV-MBB, MMxxx-60HLD-MB, MMxxx-60HLD-MBV and MMxxx-60HLM-MB |

Product data – type JKMSxxxM-72HBL-MX3

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=335-395, with increments of 5W, 144 half cut cells |

Product data – type JKMSxxxPP-72H-MX3

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=330-380, with increments of 5W, 144 half cut cells |

Product data – type JKMSxxxPP-72-J4

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=250-390, with increments of 5W, 72 cells |

Product data – type JKMxxxM-66H-TV

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=345-385, with increments of 5W, 132 half cut cells |

Product data – type JKMxxxP-60B-J4-J

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=210-325, with increments of 5W, 72 cells |

Product data – type JKMxxxPP-60-J4

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with poly c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=210-325, with increments of 5W, 60 cells |

Product data – type JKMxxxPP-72-J4V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72-V

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72-V-J

Design : PV module with poly c-Si cells
Maximum System voltage : 1500V
Description : xxx=250-390, with increments of 5W, 72 cells

Product data – type JKMxxxPP-72-W

Design : PV module with poly c-Si cells
Maximum System voltage : 1000V
Description : xxx=635-670, with increments of 5W, 72 cells

Product data – type JKSM3-CACA-xxx

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-390, with increments of 5W, 132 half cut cells

Product data – type JKSM3-CCCA-xxx

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=340-405, with increments of 5W, 132 half cut cells

Product data – type JKSM3-CFCA-xxx

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-370, with increments of 5W, 132 half-cut cells

Product data – type JKSM3-CHCA-xxx

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=340-380, with increments of 5W, 132 half-cut cells

Product data – type JKSM3-DACA-xxx

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=400-465, with increments of 5W, 156 half cut cells

Product data – type JKSM3-DCCA-xxx

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V
Description : xxx=400-480, with increments of 5W, 156 half cut cells

Product data – type JKSM3-DFCA-xxx

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=400-440, with increments of 5W, 156 half-cut cells

Product data – type JKSM3-DHCA-xxx

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=400-450, with increments of 5W, 156 half-cut cells

Product data – type JKSN3-CCCA-xxx

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=345-390, with increments of 5W, 132 half cut cells

Product data – type JKSN3-CHCA-xxx

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=345-370, with increments of 5W, 132 half-cut cells

Product data – type JKSN3-DCCA-xxx

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=410-460, with increments of 5W, 156 half cut cells

Product data – type JKSN3-DHCA-xxx

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=410-440, with increments of 5W, 156 half-cut cells

Product data – type JKxxxM-66H5-BTV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=635-665, with increments of 5W, 132 half cut cells

Product data – type JKxxxM-66H5-MW

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=635-670, with increments of 5W, 132 half-cut cells

Product data – type JKxxxM-66H5-MWV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=635-670, with increments of 5W, 132 half cut cells

Product data – type JKxxxM-66R5-BTV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=630-660, with increments of 5W, 132 half cut cells

Product data – type JKxxxM-66R5-MW

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=630-665, with increments of 5W, 132 half-cut cells

Product data – type JKxxxM-66R5-MWV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=630-665, with increments of 5W, 132 half cut cells

Product data – type MMxxx-54HLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-420, with increments of 5W, 108 half-cut cells

Product data – type MMxxx-54HLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-420, with increments of 5W, 108 half cut cells

Product data – type MMxxx-5RLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=375-405, with increments of 5W, 108 half-cut cells

Product data – type MMxxx-5RLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=375-405, with increments of 5W, 108 half cut cells

Product data – type MMxxx-60HLA-AB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type MMxxx-60HLA-ABV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-350, with increments of 5W, 120 half cut cells

Product data – type MMxxx-60HLA-BB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=315-355, with increments of 5W, 120 half-cut cells

Product data – type MMxxx-60HLA-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=315-335, with increments of 5W, 120 half cut cells

Product data – type MMxxx-60HLA-BBV-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-335, with increments of 5W, 120 half cut cells

Product data – type MMxxx-60HLA-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type MMxxx-60HLA-MB-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-355, with increments of 5W, 120 half-cut cells

Product data – type MMxxx-60HLA-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-350, with increments of 5W, 120 half cut cells

Product data – type MMxxx-60HLA-MBV-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-355, with increments of 5W, 120 half cut cells

Product data – type MMxxx-60HLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=400-470, with increments of 5W, 120 half-cut cells

Product data – type MMxxx-60HLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=400-470, with increments of 5W, 120 half cut cells

Product data – type MMxxx-60HLM-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=350-385, with increments of 5W, 120 half-cut cells

TESTS

Test requirements

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-013 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaying City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China


Jinko Solar (Feidong) Co., Ltd.
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy
Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing
Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.
Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaying City Zhejiang, China

Trade name(s): Jinko stands for  *Jinko* Solar
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:

Applicant:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Licensee:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.


This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-014 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-014

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : MMxxx-60HLM-MBV, MMxxx-60LA-AB, MMxxx-60LA-ABV, MMxxx-60LA-MB, MMxxx-60LA-MBV, MMxxx-66HLA-AB, MMxxx-66HLA-ABV, MMxxx-66HLA-BBV, MMxxx-66HLA-MB, MMxxx-66HLA-MB-MBB, MMxxx-66HLA-MBV, MMxxx-66HLA-MBV-MBB, MMxxx-66HLD-MB, MMxxx-66HLD-MBV, MMxxx-6RLC-AB, MMxxx-6RLC-ABV, MMxxx-6RLC-BBV, MMxxx-6RLC-MB, MMxxx-6RLC-MBV, MMxxx-6RLD-MB, MMxxx-6RLD-MBV, MMxxx-6TLC-AB, MMxxx-6TLC-ABV, MMxxx-6TLC-BBV, MMxxx-6TLC-MB, MMxxx-6TLC-MBV, MMxxx-6TLD-MB, MMxxx-6TLD-MBV, MMxxx-72HLA-AB, MMxxx-72HLA-ABV, MMxxx-72HLA-BB, MMxxx-72HLA-BBV, MMxxx-72HLA-BBV-MBB, MMxxx-72HLA-MB, MMxxx-72HLA-MB-MBB, MMxxx-72HLA-MBV, MMxxx-72HLA-MBV-MBB, MMxxx-72HLD-MB, MMxxx-72HLD-MBV, MMxxx-72HLM-MB, MMxxx-72HLM-MBV, MMxxx-72LA-AB, MMxxx-72LA-ABV, MMxxx-72LA-MB, MMxxx-72LA-MBV, MMxxx-78HLA-AB, MMxxx-78HLA-ABV, MMxxx-78HLA-BBV, MMxxx-78HLA-MB and MMxxx-78HLA-MB-MBB |

Product data – type MMxxx-60HLM-MBV

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=350-385, with increments of 5W, 120 half cut cells |

Product data – type MMxxx-60LA-AB

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=270-340, with increments of 5W, 60 cells |

Product data – type MMxxx-60LA-ABV

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=270-340, with increments of 5W, 60 cells |

Product data – type MMxxx-60LA-MB

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=270-340, with increments of 5W, 60 cells |

Product data – type MMxxx-60LA-MBV

| | |
|------------------------|------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=270-340, with increments of 5W, 60 cells |

Product data – type MMxxx-66HLA-AB

| | |
|--------|----------------------------------|
| Design | : PV module with mono c-Si cells |
|--------|----------------------------------|

Maximum System voltage : 1000V
Description : xxx=340-365, with increments of 5W, 132 half-cut cells

Product data – type MMxxx-66HLA-ABV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=340-365, with increments of 5W, 132 half cut cells

Product data – type MMxxx-66HLA-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=340-385, with increments of 5W, 132 half cut cells

Product data – type MMxxx-66HLA-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=340-390, with increments of 5W, 132 half-cut cells

Product data – type MMxxx-66HLA-MB-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=370-390, with increments of 5W, 132 half-cut cells

Product data – type MMxxx-66HLA-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=340-390, with increments of 5W, 132 half cut cells

Product data – type MMxxx-66HLA-MBV-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=370-390, with increments of 5W, 132 half cut cells

Product data – type MMxxx-66HLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=440-505, with increments of 5W, 132 half-cut cells

Product data – type MMxxx-66HLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=440-505, with increments of 5W, 132 half cut cells

Product data – type MMxxx-6RLC-AB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-405,, with increments of 5W, 132 half-cut cells

Product data – type MMxxx-6RLC-ABV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-405, with increments of 5W, 132 half cut cells

Product data – type MMxxx-6RLC-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=355-400, with increments of 5W, 132 half cut cells

Product data – type MMxxx-6RLC-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-400, with increments of 5W, 132 half-cut cells

Product data – type MMxxx-6RLC-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-400, with increments of 5W, 132 half cut cells

Product data – type MMxxx-6RLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=455-495, with increments of 5W, 132 half-cut cells

Product data – type MMxxx-6RLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=455-495, with increments of 5W, 132 half cut cells

Product data – type MMxxx-6TLC-AB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-365, with increments of 5W, 120 half-cut cells

Product data – type MMxxx-6TLC-ABV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-365, with increments of 5W, 120 half cut cells

Product data – type MMxxx-6TLC-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=325-365, with increments of 5W, 120 half cut cells

Product data – type MMxxx-6TLC-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-365, with increments of 5W, 120 half-cut cells

Product data – type MMxxx-6TLC-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-365, with increments of 5W, 120 half cut cells

Product data – type MMxxx-6TLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=415-450, with increments of 5W, 120 half-cut cells

Product data – type MMxxx-6TLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=415-450, with increments of 5W, 120 half cut cells

Product data – type MMxxx-72HLA-AB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

Product data – type MMxxx-72HLA-ABV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-425, with increments of 5W, 144 half cut cells

Product data – type MMxxx-72HLA-BB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=375-425, with increments of 5W, 144 half-cut cells

Product data – type MMxxx-72HLA-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=375-425, with increments of 5W, 144 half cut cells

Product data – type MMxxx-72HLA-BBV-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=385-405, with increments of 5W, 144 half cut cells

Product data – type MMxxx-72HLA-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

Product data – type MMxxx-72HLA-MB-MBB

Design : PV module with mono c-Si cells

Maximum System voltage : 1000V
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

Product data – type MMxxx-72HLA-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-425, with increments of 5W, 144 half cut cells

Product data – type MMxxx-72HLA-MBV-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=385-425, with increments of 5W, 144 half cut cells

Product data – type MMxxx-72HLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=475-570, with increments of 5W, 144 half-cut cells

Product data – type MMxxx-72HLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=475-570, with increments of 5W, 144 half cut cells

Product data – type MMxxx-72HLM-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=420-465, with increments of 5W, 144 half-cut cells

Product data – type MMxxx-72HLM-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=420-465, with increments of 5W, 144 half cut cells

Product data – type MMxxx-72LA-AB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type MMxxx-72LA-ABV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type MMxxx-72LA-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type MMxxx-72LA-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type MMxxx-78HLA-AB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=405-435, with increments of 5W, 156 half-cut cells

Product data – type MMxxx-78HLA-ABV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=405-435, with increments of 5W, 156 half cut cells

Product data – type MMxxx-78HLA-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=405-455, with increments of 5W, 156 half cut cells

Product data – type MMxxx-78HLA-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=405-465, with increments of 5W, 156 half-cut cells

Product data – type MMxxx-78HLA-MB-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=440-465, with increments of 5W, 156 half-cut cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-014 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.

No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.

No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.


Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED

CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.

Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for  **Jinko** *Solar*
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:
Applicant:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Licensee:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.


This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-015 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-015

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : MMxxx-78HLA-MBV, MMxxx-78HLA-MBV-MBB, MMxxx-78HLD-MBV, MMxxx-7RLC-AB, MMxxx-7RLC-ABV, MMxxx-7RLC-BBV, MMxxx-7RLC-MB, MMxxx-7RLC-MBV, MMxxx-7RLD-MB, MMxxx-7RLD-MBV, MMxxx-7TLD-MB, MMxxx-7TLD-MBV, MNxxx-54HLD-BBV, MNxxx-54HLD-MB, MNxxx-54HLD-MBV, MNxxx-5RLD-BBV, MNxxx-5RLD-MB, MNxxx-5RLD-MBV, MNxxx-60HLA-AB-MBB, MNxxx-60HLA-ABV-MBB, MNxxx-60HLA-BBV-MBB, MNxxx-60HLA-MB-MBB, MNxxx-60HLA-MBV-MBB, MNxxx-60HLD-BBV, MNxxx-60HLD-MB, MNxxx-60HLD-MBV, MNxxx-66HLD-BBV, MNxxx-66HLD-MB, MNxxx-66HLD-MBV, MNxxx-6RLC-AB, MNxxx-6RLC-ABV, MNxxx-6RLC-BBV, MNxxx-6RLC-MB, MNxxx-6RLC-MBV, MNxxx-6RLD-BBV, MNxxx-6RLD-MB, MNxxx-6RLD-MBV, MNxxx-6TLC-AB, MNxxx-6TLC-ABV, MNxxx-6TLC-BBV, MNxxx-6TLC-MB, MNxxx-6TLC-MBV, MNxxx-6TLD-BBV, MNxxx-6TLD-MB, MNxxx-6TLD-MBV, MNxxx-72HLA-AB-MBB, MNxxx-72HLA-ABV-MBB, MNxxx-72HLA-BBV-MBB, MNxxx-72HLA-MB-MBB and SMMxxx-78HLA-MBV-TI |

Product data – type MMxxx-78HLA-MBV

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=405-465, with increments of 5W, 156 half cut cells |

Product data – type MMxxx-78HLA-MBV-MBB

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=440-465, with increments of 5W, 156 half cut cells |

Product data – type MMxxx-78HLD-MBV

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=565-605, with increments of 5W, 156 half cut cells |

Product data – type MMxxx-7RLC-AB

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=425-480, with increments of 5W, 156 half-cut cells |

Product data – type MMxxx-7RLC-ABV

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=425-480, with increments of 5W, 156 half cut cells |

Product data – type MMxxx-7RLC-BBV

| | |
|--------|----------------------------------|
| Design | : PV module with mono c-Si cells |
|--------|----------------------------------|

Maximum System voltage : 1500V
Description : xxx=420-475, with increments of 5W, 156 half cut cells

Product data – type MMxxx-7RLC-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=430-475, with increments of 5W, 156 half-cut cells

Product data – type MMxxx-7RLC-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=430-475, with increments of 5W, 156 half cut cells

Product data – type MMxxx-7RLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=535-590, with increments of 5W, 156 half-cut cells

Product data – type MMxxx-7RLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=535-590, with increments of 5W, 156 half cut cells

Product data – type MMxxx-7TLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=495-540, with increments of 5W, 144 half-cut cells

Product data – type MMxxx-7TLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=495-540, with increments of 5W, 144 half cut cells

Product data – type MNxxx-54HLD-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=380-405, with increments of 5W, 108 half cut cells

Product data – type MNxxx-54HLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=365-415, with increments of 5W, 108 half-cut cells

Product data – type MNxxx-54HLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=365-415, with increments of 5W, 108 half cut cells

Product data – type MNxxx-5RLD-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=365-405, with increments of 5W, 108 half cut cells

Product data – type MNxxx-5RLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=375-405, with increments of 5W, 108 half-cut cells

Product data – type MNxxx-5RLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=375-405, with increments of 5W, 108 half cut cells

Product data – type MNxxx-60HLA-AB-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=315-330, with increments of 5W, 120 half-cut cells

Product data – type MNxxx-60HLA-ABV-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=315-330, with increments of 5W, 120 half cut cells

Product data – type MNxxx-60HLA-BBV-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=330-350, with increments of 5W, 120 half cut cells

Product data – type MNxxx-60HLA-MB-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-350, with increments of 5W, 120 half-cut cells

Product data – type MNxxx-60HLA-MBV-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-350, with increments of 5W, 120 half cut cells

Product data – type MNxxx-60HLD-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=400-450, with increments of 5W, 120 half cut cells

Product data – type MNxxx-60HLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=405-460, with increments of 5W, 120 half-cut cells

Product data – type MNxxx-60HLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=405-460, with increments of 5W, 120 half cut cells

Product data – type MNxxx-66HLD-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=440-495, with increments of 5W, 132 half cut cells

Product data – type MNxxx-66HLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=445-505, with increments of 5W, 132 half-cut cells

Product data – type MNxxx-66HLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=445-505, with increments of 5W, 132 half cut cells

Product data – type MNxxx-6RLC-AB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-405, with increments of 5W, 132 half-cut cells

Product data – type MNxxx-6RLC-ABV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-405, with increments of 5W, 132 half cut cells

Product data – type MNxxx-6RLC-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=355-400, with increments of 5W, 132 half cut cells

Product data – type MNxxx-6RLC-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-410, with increments of 5W, 132 half-cut cells

Product data – type MNxxx-6RLC-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-400, with increments of 5W, 132 half cut cells

Product data – type MNxxx-6RLD-BBV

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V
Description : xxx=440-495, with increments of 5W, 132 half cut cells

Product data – type MNxxx-6RLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=455-495, with increments of 5W, 132 half-cut cells

Product data – type MNxxx-6RLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=455-495, with increments of 5W, 132 half cut cells

Product data – type MNxxx-6TLC-AB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-350, with increments of 5W, 120 half-cut cells

Product data – type MNxxx-6TLC-ABV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-365, with increments of 5W, 120 half cut cells

Product data – type MNxxx-6TLC-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=325-365, with increments of 5W, 120 half cut cells

Product data – type MNxxx-6TLC-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-375, with increments of 5W, 120 half-cut cells

Product data – type MNxxx-6TLC-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-365, with increments of 5W, 120 half cut cells

Product data – type MNxxx-6TLD-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=400-450, with increments of 5W, 120 half cut cells

Product data – type MNxxx-6TLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=415-450, with increments of 5W, 120 half-cut cells

Product data – type MNxxx-6TLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=415-450, with increments of 5W, 120 half cut cells

Product data – type MNxxx-72HLA-AB-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=380-400, with increments of 5W, 144 half-cut cells

Product data – type MNxxx-72HLA-ABV-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=380-400, with increments of 5W, 144 half cut cells

Product data – type MNxxx-72HLA-BBV-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=390-420, with increments of 5W, 144 half cut cells

Product data – type MNxxx-72HLA-MB-MBB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

Product data – type SMMxxx-78HLA-MBV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=405-465, with increments of 5W, 156 half cut cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-015 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China

Jinko Solar (Feidong) Co., Ltd.

No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.

No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.


Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED

CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.

Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for 
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:
Applicant:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Licensee:
Jinko Solar Co., Ltd.
No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.


This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-016 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-016

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : MNxxx-72HLA-MBV-MBB, MNxxx-72HLD-BBV, MNxxx-72HLD-MB, MNxxx-72HLD-MBV, MNxxx-7RLC-AB, MNxxx-7RLC-ABV, MNxxx-7RLC-BBV, MNxxx-7RLC-MB, MNxxx-7RLC-MBV, MNxxx-7RLD-BBV, MNxxx-7RLD-MB, MNxxx-7RLD-MBV, MNxxx-7TLD-BBV, MNxxx-7TLD-M, MNxxx-7TLD-MBV, SMMxxx-60HLA-AB-MX3, SMMxxx-60HLA-AB-TI, SMMxxx-60HLA-ABV-MX3, SMMxxx-60HLA-ABV-TI, SMMxxx-60HLA-MB-MBB-TI, SMMxxx-60HLA-MB-MX3, SMMxxx-60HLA-MB-TI, SMMxxx-60HLA-MBV-MBB-TI, SMMxxx-60HLA-MBV-MX3, SMMxxx-60HLA-MBV-TI, SMMxxx-60LA-AB-MX3, SMMxxx-60LA-AB-TI, SMMxxx-60LA-ABV-MX3, SMMxxx-60LA-ABV-TI, SMMxxx-60LA-MB-MX3, SMMxxx-60LA-MB-TI, SMMxxx-60LA-MBV-MX3, SMMxxx-60LA-MBV-TI, SMMxxx-66HLA-AB-TI, SMMxxx-66HLA-ABV-TI, SMMxxx-66HLA-MB-TI, SMMxxx-66HLA-MBV-TI, SMMxxx-6RLC-AB-TI, SMMxxx-6RLC-ABV-TI, SMMxxx-6RLC-MB-TI, SMMxxx-6RLC-MBV-TI, SMMxxx-6TLC-AB-TI, SMMxxx-6TLC-ABV-TI, SMMxxx-6TLC-MB-TI, SMMxxx-6TLC-MBV-TI and SMMxxx-72HLA-AB-MX3 |

Product data – type MNxxx-72HLA-MBV-MBB

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=385-425, with increments of 5W, 144 half cut cells |

Product data – type MNxxx-72HLD-BBV

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=480-545, with increments of 5W, 144 half cut cells |

Product data – type MNxxx-72HLD-MB

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=485-555, with increments of 5W, 144 half-cut cells |

Product data – type MNxxx-72HLD-MBV

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=485-555, with increments of 5W, 144 half cut cells |

Product data – type MNxxx-7RLC-AB

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=425-480, with increments of 5W, 156 half-cut cells |

Product data – type MNxxx-7RLC-ABV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-480, with increments of 5W, 156 half cut cells

Product data – type MNxxx-7RLC-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-475, with increments of 5W, 156 half cut cells

Product data – type MNxxx-7RLC-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=430-490, with increments of 5W, 156 half-cut cells

Product data – type MNxxx-7RLC-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=430-475, with increments of 5W, 156 half cut cells

Product data – type MNxxx-7RLD-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=520-585, with increments of 5W, 156 half cut cells

Product data – type MNxxx-7RLD-MB

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=535-590, with increments of 5W, 156 half-cut cells

Product data – type MNxxx-7RLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=535-590, with increments of 5W, 156 half cut cells

Product data – type MNxxx-7TLD-BBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=480-540, with increments of 5W, 144 half cut cells

Product data – type MNxxx-7TLD-M

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=495-540, with increments of 5W, 144 half-cut cells

Product data – type MNxxx-7TLD-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=495-540, with increments of 5W, 144 half cut cells

Product data – type SMMxxx-60HLA-AB-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 120 half-cut cells

Product data – type SMMxxx-60HLA-AB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type SMMxxx-60HLA-ABV-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 120 half cut cells

Product data – type SMMxxx-60HLA-ABV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-350, with increments of 5W, 120 half cut cells

Product data – type SMMxxx-60HLA-MB-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-355, with increments of 5W, 120 half-cut cells

Product data – type SMMxxx-60HLA-MB-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 120 half-cut cells

Product data – type SMMxxx-60HLA-MB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-350, with increments of 5W, 120 half-cut cells

Product data – type SMMxxx-60HLA-MBV-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-355, with increments of 5W, 120 half cut cells

Product data – type SMMxxx-60HLA-MBV-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 120 half cut cells

Product data – type SMMxxx-60HLA-MBV-TI

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V
Description : xxx=270-350, with increments of 5W, 120 half cut cells

Product data – type SMMxxx-60LA-AB-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type SMMxxx-60LA-AB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type SMMxxx-60LA-ABV-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type SMMxxx-60LA-ABV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type SMMxxx-60LA-MB-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type SMMxxx-60LA-MB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type SMMxxx-60LA-MBV-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type SMMxxx-60LA-MBV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=270-340, with increments of 5W, 60 cells

Product data – type SMMxxx-66HLA-AB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=340-365, with increments of 5W, 132 half-cut cells

Product data – type SMMxxx-66HLA-ABV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=340-365, with increments of 5W, 132 half cut cells

Product data – type SMMxxx-66HLA-MB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=340-390, with increments of 5W, 132 half-cut cells

Product data – type SMMxxx-66HLA-MBV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=340-390, with increments of 5W, 132 half cut cells

Product data – type SMMxxx-6RLC-AB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-405,, with increments of 5W, 132 half-cut cells

Product data – type SMMxxx-6RLC-ABV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-405, with increments of 5W, 132 half cut cells

Product data – type SMMxxx-6RLC-MB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-400, with increments of 5W, 132 half-cut cells

Product data – type SMMxxx-6RLC-MBV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-400, with increments of 5W, 132 half cut cells

Product data – type SMMxxx-6TLC-AB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-365, with increments of 5W, 120 half-cut cells

Product data – type SMMxxx-6TLC-ABV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-365, with increments of 5W, 120 half cut cells

Product data – type SMMxxx-6TLC-MB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-365, with increments of 5W, 120 half-cut cells

Product data – type SMMxxx-6TLC-MBV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-365, with increments of 5W, 120 half cut cells

Product data – type SMMxxx-72HLA-AB-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-016 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China


Jinko Solar (Feidong) Co., Ltd.
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy
Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing
Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.
Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for 
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:

Applicant:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Licensee:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 16 October 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-017 REV.7

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



C. Lin
Certification Manager

© Integral publication of this certificate is allowed



31-90007-017

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMSxxxM-6RL3-B-MX3, JKMSxxxM-6RL3-MX3, JKMSxxxM-6RL3-V-MX3, JKMSxxxM-6TL3-V-MX3, JKMSxxxN-6RL3-B-MX3, JKMSxxxN-6RL3-MX3, JKMSxxxN-6RL3-V-MX3, JKMSxxxN-6TL3-B-MX3, JKMSxxxN-6TL3-MX3, JKMSxxxN-6TL3-V-MX3, JKMxxxN-78HL4, JKMxxxN-78HL4-V, SMMxxx-72HLA-AB-TI, SMMxxx-72HLA-ABV-MX3, SMMxxx-72HLA-ABV-TI, SMMxxx-72HLA-MB-MBB-TI, SMMxxx-72HLA-MB-MX3, SMMxxx-72HLA-MB-TI, SMMxxx-72HLA-MBV-MBB-TI, SMMxxx-72HLA-MBV-MX3, SMMxxx-72HLA-MBV-TI, SMMxxx-72LA-AB-MX3, SMMxxx-72LA-AB-TI, SMMxxx-72LA-ABV-MX3, SMMxxx-72LA-ABV-TI, SMMxxx-72LA-MB-MX3, SMMxxx-72LA-MB-TI, SMMxxx-72LA-MBV, SMMxxx-72LA-MBV-MX3, SMMxxx-72LA-MBV-TI, SMMxxx-78HLA-AB-TI, SMMxxx-78HLA-ABV-TI, SMMxxx-78HLA-MB-TI, SMMxxx-7RLC-AB-TI, SMMxxx-7RLC-ABV-TI, SMMxxx-7RLC-MB-TI, SMMxxx-7RLC-MBV-TI, SMNxxx-60HLA-AB-MBB-TI, SMNxxx-60HLA-ABV-MBB-TI, SMNxxx-60HLA-MB-MBB-TI, SMNxxx-60HLA-MBV-MBB-TI, SMNxxx-6RLC-AB-TI, SMNxxx-6RLC-ABV-TI, SMNxxx-6RLC-MB-T, SMNxxx-6RLC-MBV-TI, SMNxxx-6TLC-AB-TI, SMNxxx-6TLC-ABV-TI, SMNxxx-6TLC-MB-TI, SMNxxx-6TLC-MBV-TI, SMNxxx-72HLA-AB-MBB-TI, SMNxxx-72HLA-ABV-MBB-TI, SMNxxx-72HLA-MB-MBB-TI, SMNxxx-72HLA-MBV-MBB-TI, SMNxxx-7RLC-AB-TI, SMNxxx-7RLC-ABV-TI, SMNxxx-7RLC-MB-TI and SMNxxx-7RLC-MBV-TI |

Product data – type JKMSxxxM-6RL3-B-MX3

| | |
|------------------------|-------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=360-405, with increments of 5W, 132 cells |

Product data – type JKMSxxxM-6RL3-MX3

| | |
|------------------------|-------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1000V |
| Description | : xxx=360-415, with increments of 5W, 132 cells |

Product data – type JKMSxxxM-6RL3-V-MX3

| | |
|------------------------|-------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=360-415, with increments of 5W, 132 cells |

Product data – type JKMSxxxM-6TL3-V-MX3

| | |
|------------------------|-------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System voltage | : 1500V |
| Description | : xxx=335-380, with increments of 5W, 120 cells |

Product data – type JKMSxxxN-6RL3-B-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-425, with increments of 5W, 132 cells

Product data – type JKMSxxxN-6RL3-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-420, with increments of 5W, 132 cells

Product data – type JKMSxxxN-6RL3-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-410, with increments of 5W, 132 cells

Product data – type JKMSxxxN-6TL3-B-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-385, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxN-6TL3-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-390, with increments of 5W, 120 half-cut cells

Product data – type JKMSxxxN-6TL3-V-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-390, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-78HL4

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=570-650, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxN-78HL4-V

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=570-650, with increment of 5W, 156 half-cut cells

Product data – type SMMxxx-72HLA-AB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

Product data – type SMMxxx-72HLA-ABV-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V

Description : xxx=335-395, with increments of 5W, 144 half cut cells

Product data – type SMMxxx-72HLA-ABV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-425, with increments of 5W, 144 half cut cells

Product data – type SMMxxx-72HLA-MB-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

Product data – type SMMxxx-72HLA-MB-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

Product data – type SMMxxx-72HLA-MB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-425, with increments of 5W, 144 half-cut cells

Product data – type SMMxxx-72HLA-MBV-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=385-425, with increments of 5W, 144 half cut cells

Product data – type SMMxxx-72HLA-MBV-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-395, with increments of 5W, 144 half cut cells

Product data – type SMMxxx-72HLA-MBV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-425, with increments of 5W, 144 half cut cells

Product data – type SMMxxx-72LA-AB-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-395, with increments of 5W, 72 cells

Product data – type SMMxxx-72LA-AB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type SMMxxx-72LA-ABV-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-395, with increments of 5W, 72 cells

Product data – type SMMxxx-72LA-ABV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type SMMxxx-72LA-MB-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-395, with increments of 5W, 72 cells

Product data – type SMMxxx-72LA-MB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type SMMxxx-72LA-MBV

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type SMMxxx-72LA-MBV-MX3

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-395, with increments of 5W, 72 cells

Product data – type SMMxxx-72LA-MBV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-410, with increments of 5W, 72 cells

Product data – type SMMxxx-78HLA-AB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=405-435, with increments of 5W, 156 half-cut cells

Product data – type SMMxxx-78HLA-ABV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=405-435, with increments of 5W, 156 half cut cells

Product data – type SMMxxx-78HLA-MB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=405-465, with increments of 5W, 156 half-cut cells

Product data – type SMMxxx-7RLC-AB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=425-480, with increments of 5W, 156 half-cut cells

Product data – type SMMxxx-7RLC-ABV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-480, with increments of 5W, 156 half cut cells

Product data – type SMMxxx-7RLC-MB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=430-475, with increments of 5W, 156 half-cut cells

Product data – type SMMxxx-7RLC-MBV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=430-475, with increments of 5W, 156 half cut cells

Product data – type SMNxxx-60HLA-AB-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=315-330, with increments of 5W, 120 half-cut cells

Product data – type SMNxxx-60HLA-ABV-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=315-330, with increments of 5W, 120 half cut cells

Product data – type SMNxxx-60HLA-MB-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-350, with increments of 5W, 120 half-cut cells

Product data – type SMNxxx-60HLA-MBV-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-350, with increments of 5W, 120 half cut cells

Product data – type SMNxxx-6RLC-AB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-405, with increments of 5W, 132 half-cut cells

Product data – type SMNxxx-6RLC-ABV-TI

Design : PV module with mono c-Si cells

Maximum System voltage : 1500V
Description : xxx=360-405, with increments of 5W, 132 half cut cells

Product data – type SMNxxx-6RLC-MB-T

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=360-410, with increments of 5W, 132 half-cut cells

Product data – type SMNxxx-6RLC-MBV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=360-400, with increments of 5W, 132 half cut cells

Product data – type SMNxxx-6TLC-AB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=320-350, with increments of 5W, 120 half-cut cells

Product data – type SMNxxx-6TLC-ABV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=320-365, with increments of 5W, 120 half cut cells

Product data – type SMNxxx-6TLC-MB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=335-375, with increments of 5W, 120 half-cut cells

Product data – type SMNxxx-6TLC-MBV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=335-365, with increments of 5W, 120 half cut cells

Product data – type SMNxxx-72HLA-AB-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=380-400, with increments of 5W, 144 half-cut cells

Product data – type SMNxxx-72HLA-ABV-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=380-400, with increments of 5W, 144 half cut cells

Product data – type SMNxxx-72HLA-MB-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=385-425, with increments of 5W, 144 half-cut cells

Product data – type SMNxxx-72HLA-MBV-MBB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=385-425, with increments of 5W, 144 half cut cells

Product data – type SMNxxx-7RLC-AB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=425-480, with increments of 5W, 156 half-cut cells

Product data – type SMNxxx-7RLC-ABV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=425-480, with increments of 5W, 156 half cut cells

Product data – type SMNxxx-7RLC-MB-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1000V
Description : xxx=430-490, with increments of 5W, 156 half-cut cells

Product data – type SMNxxx-7RLC-MBV-TI

Design : PV module with mono c-Si cells
Maximum System voltage : 1500V
Description : xxx=430-475, with increments of 5W, 156 half cut cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658200.

Additional information

This certificate replaces certificate No. 31-90007-017 REV.6 which we hereby declare invalid.

The list of components is laid down in test report 6166582A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China


Jinko Solar (Feidong) Co., Ltd.
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy
Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing
Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.
Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for 
Building Your Trust in Solar

Unique Identifier



CERTIFICATE

Issued to:

Applicant:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Licensee:

Jinko Solar Co., Ltd.

**No.1 Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China**

Product : Crystalline Silicon PV Modules
Trade name(s) : Jinko
Type(s)/model(s) : PV module with poly/mono c-Si cells

The product and any acceptable variation thereto as specified in the Annex to this certificate and the documents therein referred to.

DEKRA hereby declares that the above-mentioned product has been certified on the basis of:

- an evaluation according to the standard(s) IEC TS 62804-1:2015
- a periodic surveillance
- a DEKRA certification agreement with the number 6063744

DEKRA hereby grants the right to use the DEKRA Seal certification mark.

DEKRA hereby grants the right to use the DEKRA Seal certification mark with the following content:


Category : Photovoltaic
Keyword : PID Resistance
Keyword : Periodic Factory Inspection

The DEKRA Seal certification mark may be applied to the product or documentation as specified in this certificate for the duration and under the conditions of the DEKRA Seal certification agreement.

This certificate is issued on 5 December 2023 and expires at the latest on 5 July 2027.

Certificate number: 31-90007-018 REV.8

DEKRA Certification B.V.



B.T.M. Holtus
Managing Director



H.R.M. Barends
Certification Manager

© Integral publication of this certificate is allowed



31-90007-018

SPECIFICATION OF THE CERTIFIED PRODUCT**Product data**

| | |
|------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Product | : Crystalline Silicon PV Modules |
| Trade name(s) | : Jinko |
| Type(s)/model(s) | : JKMSxxxN-60H-MBB-B-V-TI, JKMSxxxM-60HB-V-TI, JKMSxxxM-60HL-V-TI, JKMSxxxM-6TL3-B-MX3, JKMSxxxM-6TL3-MX3, JKMSxxxM-72H-V-MX3, JKMSxxxM-72H-V-TI, JKMSxxxM-72HB-V-TI, JKMSxxxM-72HBL-V-TI, JKMSxxxM-72HL-V-TI, JKMSxxxN-72H-MBB-B-V-TI, JKMxxxN-54HL4R, JKMxxxN-54HL4R-B, JKMxxxN-54HL4R-V, JKMxxxN-60HL4-J, JKMxxxN-60HL4-V-J, JKMxxxN-60HL4R, JKMxxxN-60HL4R-V, JKMxxxN-66HL4M, JKMxxxN-66HL4M-V, JKMxxxN-72HL4-J, JKMxxxN-72HL4-V-J, JKMxxxN-72HL4R, JKMxxxN-72HL4R-TV, JKMxxxN-72HL4R-V, JKMxxxN-78HL4-J, JKMxxxN-78HL4-TV, JKMxxxN-78HL4-V-J, JKMxxxN-78HL4R, JKMxxxN-78HL4R-TV, JKMxxxN-78HL4R-V, JKMxxxN-7TL4R, JKMxxxN-7TL4R-TV, JKMxxxN-7TL4R-V, JKNxxxN-66H-TV, JKxxxN-66H5-BTV, JKxxxN-66H5-MW, JKxxxN-66H5-MWV, MNxxx-7TLD-MB and SMNxxx-6RLC-MB-TI |

Product data – type JKMSxxxN-60H-MBB-B-V-TI

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System Voltage | : 1500V |
| Description | : xxx=315-330, with increments of 5W, 120 half-cut cells |

Product data – type JKMSxxxM-60HB-V-TI

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System Voltage | : 1500V |
| Description | : xxx=270-350, with increments of 5W, 120 half-cut cells |

Product data – type JKMSxxxM-60HL-V-TI

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System Voltage | : 1500V |
| Description | : xxx=210-350, with increments of 5W, 120 half-cut cells |

Product data – type JKMSxxxM-6TL3-B-MX3

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System Voltage | : 1000V |
| Description | : xxx=320-365, with increments of 5W, 120 half-cut cells |

Product data – type JKMSxxxM-6TL3-MX3

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System Voltage | : 1000V |
| Description | : xxx=335-380, with increments of 5W, 120 half-cut cells |

Product data – type JKMSxxxM-72HBL-V-TI

| | |
|------------------------|----------------------------------------------------------|
| Design | : PV module with mono c-Si cells |
| Maximum System Voltage | : 1500V |
| Description | : xxx=335-450, with increments of 5W, 144 half-cut cells |

Product data – type JKMSxxxM-72HB-V-TI

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=335-450, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72HL-V-TI

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=250-450, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72H-V-MX3

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=335-395, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxM-72H-V-TI

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=250-450, with increments of 5W, 144 half-cut cells

Product data – type JKMSxxxN-72H-MBB-B-V-TI

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=380-400, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-54HL4R

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=365-455, with increments of 5W, 108 cells

Product data – type JKMxxxN-54HL4R-B

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=380-450, with increments of 5W, 108 cells

Product data – type JKMxxxN-54HL4R-V

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=365-455, with increments of 5W, 108 cells

Product data – type JKMxxxN-60HL4-J

Design : PV module with mono c-Si cells
Maximum System Voltage : 1000 V
Description : xxx=405-510, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-60HL4R

Design : PV module with mono c-Si cells

Maximum System Voltage : 1000V
Description : xxx=405-510, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-60HL4R-V

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=405-510, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-60HL4-V-J

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500 V
Description : xxx=405-510, with increments of 5W, 120 half-cut cells

Product data – type JKMxxxN-66HL4M

Design : PV module with mono c-Si cells
Maximum System Voltage : 1000 V
Description : xxx=600-620, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxN-66HL4M-V

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500 V
Description : xxx=600-620, with increments of 5W, 132 half-cut cells

Product data – type JKMxxxN-72HL4-J

Design : PV module with mono c-Si cells
Maximum System Voltage : 1000 V
Description : xxx=485-615, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-72HL4R

Design : PV module with mono c-Si cells
Maximum System Voltage : 1000V
Description : xxx=485-615, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-72HL4R-TV

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=485-605, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-72HL4R-V

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=480-615, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-72HL4-V-J

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500 V
Description : xxx=480-615, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-78HL4-J

Design : PV module with mono c-Si cells
Maximum System Voltage : 1000 V
Description : xxx=570-650, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxN-78HL4R

Design : PV module with mono c-Si cells
Maximum System Voltage : 1000 V
Description : xxx=570-650, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxN-78HL4R-TV

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500 V
Description : xxx=570-645, with increment of 5W, 156 half-cut cells

Product data – type JKMxxxN-78HL4R-V

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500 V
Description : xxx=570-650, with increment of 5W, 156 half-cut cells

Product data – type JKMxxxN-78HL4-TV

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=570-645, with increment of 5W, 156 half-cut cells

Product data – type JKMxxxN-78HL4-V-J

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500 V
Description : xxx=570-650, with increments of 5W, 156 half-cut cells

Product data – type JKMxxxN-7TL4R

Design : PV module with mono c-Si cells
Maximum System Voltage : 1000 V
Description : xxx=495-600, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-7TL4R-TV

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500 V
Description : xxx=480-590, with increments of 5W, 144 half-cut cells

Product data – type JKMxxxN-7TL4R-V

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500 V
Description : xxx=495-600, with increments of 5W, 144 half-cut cells

Product data – type JKNxxxN-66H-TV

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=345-385, with increments of 5W, 132 half-cut cells

Product data – type JKxxxN-66H5-BTV

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500V
Description : xxx=625-700, with increments of 5W, 132 half-cut cells

Product data – type JKxxxN-66H5-MW

Design : PV module with mono c-Si cells
Maximum System Voltage : 1000 V
Description : xxx=635-695, with increments of 5W, 132 half-cut cells

Product data – type JKxxxN-66H5-MWV

Design : PV module with mono c-Si cells
Maximum System Voltage : 1500 V
Description : xxx=630-695, with increments of 5W, 132 half-cut cells

Product data – type MNxxx-7TLD-MB

Design : PV module with mono c-Si cells
Maximum System Voltage : 1000V
Description : xxx=495-540, with increments of 5W, 144 half-cut cells

Product data – type SMNxxx-6RLC-MB-TI

Design : PV module with mono c-Si cells
Maximum System Voltage : 1000V
Description : xxx=360-410, with increments of 5W, 132 half-cut cells

TESTS**Test requirements**

IEC TS 62804-1:2015

Test result

The test results are laid down in DEKRA test file 616658400.

Additional information

This certificate replaces certificate No. 31-90007-018 REV.7 which we hereby declare invalid.

The list of components is laid down in test report 6166584A.50.

Conclusion

The examination proved that all requirements were met.

Factory locations

Jinko Solar (Chuzhou) Co., Ltd.
No. 18 Liming Road, Lai'an Economic Development Zone
239200 Chuzhou City Anhui, China

Jinko Solar (Yiwu) Co., Ltd.
No.1555 Chengxin Road, Niansanli Street
322014 Yiwu City Zhejiang, China

Jinko Solar Co., Ltd.
No. 1 Jinko Road, Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

Jinko Solar (Shangrao) Co., Ltd.
No.1, Yingbin Road, Economic Development Zone
334100 Shangrao City Jiangxi, China

Zhejiang Jinko Solar Co., Ltd.
No.58, Yuanxi Road, Yuanhua Town
314416 Haining City, Jiaxing City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Lot 10085, Plot C & D, Jalan Perusahaan, Mukim 1, Seberang Perai Tengah
13600 Perai, Pulau Pinang, Malaysia

Yuhuan Jinko solar Co., Ltd.
No 5. Jinghai Road, Economic development zone
317600 Yuhuan City Zhejiang, China

Jinko Solar Technology Sdn. Bhd.
Plot 538 Tingkat Perusahaan 4B, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

JINKO SOLAR TECHNOLOGY SDN. BHD.
2480, Tingkat Perusahaan 6, Perai Free Trade Zone
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (U.S.) Industries Inc.
4660 Pow-Mia Memorial Parkway, Suite 200
Jacksonville FL 32221, United States Of America

Jinko Solar Technology Sdn. Bhd.
Lot 393, Ladang Valdor, Kawasan Perindustrian Valdor
14200 Sungai Jawi, Pulau Pinang, Malaysia

Jiangsu Focus Solar Energy Technology Co., Ltd.
No. 66, Lifa Avenue Development Zone, Hai'an County
226600 Nantong City Jiangsu, China

Jinko Solar Technology Sdn. Bhd.
No. 1412, Lorong Perusahaan 1, Kawasan Perusahaan Perai
13600 Perai, Pulau Pinang, Malaysia

Jinko Solar (Haining) Co., Ltd.
No.199, Xinyue Road, Huangwan Town
314415 Haining City Zhejiang, China


Jinko Solar (Feidong) Co., Ltd.
No. 1, southwest corner of the intersection of Longxing Avenue and Shichi Road, Hefei Circular Economy
Demonstration Park
231600 Feidong County, Hefei City Anhui, China

Jinko PV (Shangrao Guangxin) Co., Ltd.
No.18, Jian xing road, Chating Economic Development Zone, Guangxin District
334000 Shangrao City Jiangxi, China

Shangrao Jinko Photovoltaic Manufacturing Co., Ltd.
Room2-1,Office Building1-1,South of Development Road,West of Jinko Redouble Increasing
Area,Shangrao Economic Development Zone
334100 Shangrao City Jiangxi, China

JINKO SOLAR (VIETNAM) INDUSTRIES COMPANY LIMITED
CN- XL- 6, 11-Song Khoai Industrial Park, Song Khoai Commune
02200 Quang Yen City, Quang Ninh Province, Vietnam

Haining Jinko Solar Intelligent Manufacturing Co., Ltd.
Workshop 7, No.118, Anjiang Road, Huangwan Town, Haining City
314415 Jiaxing City Zhejiang, China

Trade name(s): Jinko stands for 
Building Your Trust in Solar

Unique Identifier

